

OLIN

Surface Mount Tape Light Extrusion

Featuring a round profile, the Olin extrusion is meant to be seen. Create standoff wall or ceiling mounted fixtures to blend into any modern application. Featuring a slightly regressed housing that helps eliminate tape light dotting while providing a slim but sleek final appearance.

- Modern round design meant to be seen
- Best suited for task and accent lighting applications
- Frosted lens that protects lights source
- Aluminum extrusion provides excellent heat dissipation
- Field cuttable extrusion and lens
- Compatible with 10mm wide tape light

Available Finishes



Anodized Aluminum

Compatible Tape Light

- Single Color (10mm)
- Tunable CCT (10mm)
- RGB (10mm)

PROJECT:
TYPE:
LOCATION:
CATALOG NUMBER:



OLIN ORDERING INFORMATION


ITEM NUMBER	DESCRIPTION
PE-OLIN-1M	1M Olin Aluminum Extrusion
PE-UVLENS-1M	1M Frosted Polycarbonate UV Lens
PE-FOCLENS-1M	10° Focusing Lens
PE-OLIN-END	Olin End Cap
E-CLIP	Surface Mount Clip

Olin Extrusion is available as special order only
Please allow up to 2 weeks for order processing

OLIN ACCESSORIES




PE-FOCLENS-1M



E-CLIP

OLIN DIMENSIONS



OLIN ADDITIONAL INFORMATION

- Lighting or illumination of certain areas (stream of light may vary depending on the power of applied LEDs)
- Space for LED strip: 0.44" (11.3mm)

Extrusion bending:

<u>Minimum Internal Radius</u>	<u>Minimum External Radius</u>
200mm (7.8")	400mm (15.75")

- Minimum radius bending radius which when exceeded causes destruction (deformation, bending or lack of compatibility with other accessories, e.g. covers, end caps, etc.) of the profile.
- Internal radius refers to the extrusion bent so that the cover is facing the inside of the arch.
- External radius - refers to the extrusion bent so that the cover is facing the outside of the arch.
- Irregular curves are possible after consultation and individual quotation.
- When bending anodized extrusions, one should be aware of cracking of the anode coating (which may be more or less visible depending on the radius).
- American Lighting is not responsible for any damage caused during bending anodized extrusions or lenses/covers of any kind.

Turn off LED lights during peak day light hours in outdoor applications to avoid excessive heat buildup which will result in diminished LED life.