



Vienna Linear Gas Fireplace



**SIERRA FLAME**  
GAS FIREPLACES

**SIERRA**  **FLAME**

# THE VIENNA

The Vienna Series is a single sided, stunning display of craftsmanship, elegance and design. With no louvers, screens, gaps, or heat dumps, the Vienna series is the best choice for a contemporary linear gas fireplace.

## KEY FEATURES

- Double Glass & Screen Free
- Available in Sizes: 40", 50" and 60"
- Up to 36,000 BTU on high & 18,000 BTU on low
- All Wood Framing
- No Concrete Board Required
- Able to Finish with Combustible Around the Fireplace
- No Technician Required for Cleaning Inside Glass
- Simple Technician, Easy Maintenance
- NG & LP Available

### Glass Viewing Area:

Vienna 40 NG or LP – 15.30" H x 36.71" W  
 Vienna 50 NG or LP – 15.30" H x 46.71" W  
 Vienna 60 NG or LP – 15.30" H x 56.71" W

### No Limitations

#### The Technology

- All Contained within the fireplace
- No Gaps
- No Louvres
- No Heat Dump
- Wood and Drywall – Combustibles Okay
- Quick and Simple Installation. No technician required for cleaning inside the glass

### No Gap

With a lot of fireplaces, they need to create an escape for the heat to vent out. To do this they leave a gap at the top of the fireplace wall to create a crown to hide the opening. A gap is not necessary.

## IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### No Intake or Exhaust Louvres

Your wall will not have any intake or exhaust louvres to break up the look.

### No Heat Dump

There are no vents required behind the wall of the fireplace to dump the built up heat.

### Combustibles Okay

Everything is contained within the firebox. Able to finish with combustibles around the fireplace. No special concrete board or metal studs

[See Heat Shield information on page 17.](#)

# THE TOSCANA

## DELUXE DIRECT VENT LINEAR

The Toscana Series of gas fireplaces are a three sided see-through, screen free, warm touch work of wonders. They are designed to function with no gaps, louvers, heat dumps or screens. They are a revolutionary new look on the contemporary gas fireplace.

## KEY FEATURES

- Double Glass & Screen Free
- Three Sided Bay Fronts
- Available in Sizes – 38", 48" & 58"
- Up to 40,000 BTU on high & 15,000 BTU on low
- All Wood Framing
- No Concrete Board Required
- Able to Finish with Combustible Around the Fireplace
- No Technician Required for Cleaning Inside Glass
- Simple Technician, Easy Maintenance
- NG & LP Available

### Glass Viewing Area:

Toscana 38 NG or LP – 15.28" H x 41" W  
 Toscana 48 NG or LP – 15.28" H x 49.21" W  
 Toscana 58 NG or LP – 15.28" H x 59.21" W

### Side View Area Dimensions:

Toscana 38 NG or LP – 15.28" H x 13.40" W  
 Toscana 48 NG or LP – 15.28" H x 13.40" W  
 Toscana 58 NG or LP – 15.28" H x 13.40" W

### No Limitations

#### The Technology

- All Contained within the fireplace
- No Gaps
- No Louvres
- No Heat Dump
- Wood and Drywall – Combustibles Okay
- Quick and Simple Installation. No technician required for cleaning inside the glass

### No Gap

With a lot of fireplaces, they need to create an escape for the heat to vent out. To do this they leave a gap at the top of the fireplace wall to create a crown to hide the opening. A gap is not necessary.

## IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### No Intake or Exhaust Louvres

Your wall will not have any intake or exhaust louvres to break up the look.

### No Heat Dump

There are no vents required behind the wall of the fireplace to dump the built up heat.

### Combustibles Okay

Everything is contained within the firebox. Able to finish with combustibles around the fireplace. No special concrete board or metal studs

[See Heat Shield information on page 17.](#)

THE VIENNA



Model	BTU's		Vent Top	Height		Width		Depth		Viewing Area	
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width
<b>Vienna 40"</b>	Hi 28,000 Lo 18,000	25,000 17,000	5" & 8"	32.56"	36.5"	41.10"	43.25"	18.18"	18.5"	15.30"	36.71"
<b>Vienna 50"</b>	Hi 28,000 Lo 18,000	25,000 17,000	5" & 8"	32.56"	36.5"	41.10"	43.25"	18.18"	18.5"	15.30"	46.71"
<b>Vienna 60"</b>	Hi 36,000 Lo 23,000	30,500 21,500	5" & 8"	32.56"	36.5"	60.00"	61.25"	18.18"	18.5"	15.30"	56.71"

THE TOSCANA



Model	BTU's		Vent Top	Height		Width		Depth		Viewing Area		Side View Area	
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	Height	Width
<b>Toscana 38"</b>	Hi 24,500 Lo 15,000	24,000 14,000	5" & 8"	32.71"	36.5"	42.27"	43.25"	18.49"	19.5"	15.28"	41"	15.28"	13.40"
<b>Toscana 48"</b>	Hi 36,000 Lo 21,000	28,500 21,500	5" & 8"	32.64"	36.5"	50.27"	51.25"	18.49"	19.5"	15.28"	49.21"	15.25"	13.40"
<b>Toscana 58"</b>	Hi 40,000 Lo 23,000	36,000 22,000	5" & 8"	32.64"	36.5"	60.27"	61.25"	18.49"	19.5"	15.28"	59.21"	15.25"	13.40"

# THE LYON

The Lyon 48" brings the-see thru linear gas fireplace a wonderful new look! Lyon gives you no screens, safe to touch glass, and an incredibly mesmerizing flame, you will love the Lyon.

You can connect any room in your house with this fireplace, creating a flow in your home from setting to setting.

## KEY FEATURES

- Double Glass & Screen Free
- 4 Sided See Through Unit – Full 360° View
- Available Size – 48"
- Up to 32,500 BTU on high & 21,000 BTU on low
- All Wood Framing
- No Concrete Board Required
- Able to Finish with Combustible Around the Fireplace

### No Limitations

### The Technology

- All Contained within the fireplace
- No Gaps
- No Louvres
- No Heat Dump
- Wood and Drywall – Combustibles Okay
- Quick and Simple Installation. No technician required for cleaning inside the glass

### No Gap

With a lot of fireplaces, they need to create an escape for the heat to vent out. To do this they leave a gap at the top of the fireplace wall to create a crown to hide the opening. A gap is not necessary.

### Glass Viewing Area:

Lyon 48 NG – 15.34" H x 45.16" W

### Side View Area Dimensions:

Lyon 48 NG – 15.34" H x 13.40" W

## IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### No Intake or Exhaust Louvres

Your wall will not have any intake or exhaust louvres to break up the look.

### No Heat Dump

There are no vents required behind the wall of the fireplace to dump the built up heat.

### Combustibles Okay

Everything is contained within the firebox. Able to finish with combustibles around the fireplace. No special concrete board or metal studs

See Heat Shield information on page 17.

# THE AUSTIN 65L

## DELUXE DIRECT VENT LINEAR

Just like it's little brother, the Stanford, the new Austin features a sleek contemporary linear look. At 65" it now features our largest viewing area with our signature large flame presentation. The Austin comes standard with our Deluxe system including 7 day programmable thermostat remote, 6 stage dual fan control and modulating valve so you can control the flame. This unit is available in gas and liquid propane (LP by special order). Contemporary black porcelain panels, black reflective glass and 9 piece rock set all come standard with this stunning gas fireplace. A surround with safety barrier is mandatory.

## KEY FEATURES

### Deluxe System

- Borosilicate glass
- Flush mount design
- 38,000 BTU (Austin)
- Electronic Ignition
- 7 day programmable thermostat deluxe remote
- 7 stage modulating valve (flame control)
- Linear style burner
- 100% Safety shut off
- NG or LP
- Top vent only
- Black Porcelain panels
- Deluxe digital remote control
- Dual Fan kit with 6 stage adjustable control
- Black reflective fire glass media & 9 piece decorative rock media set
- Dual stainless steel pan burner

### Glass Viewing Area:

18-1/2" H x 62-3/4" W

### Accessories:

- Termination kit
- Extra decorative rock media - 3 piece set
- Liquid propane conversion kit
- Hard pipe vent
- Flex vent to hard pipe adaptor

### Surround Options:

- Clean face surround
- Basic black surround with safety barrier

Fuel Options: NG or LP

## IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

## INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

## THE LYON



## THE AUSTIN 65L



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Side View Area	
	Natural Gas	Propane	Top	Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	Height	Width
Lyon 48"	Hi 32,500	N/A	5" & 8"	34.61"	38.52"	49.39"	51.24"	22.79"	23.5"	15.34"	45.16"	15.34"	13.40"
	Lo 21,000	N/A											
										15.53"	39.17"	Single Side View	

Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane	Top	Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Austin	Hi 38,000	38,000	4" & 7"	29.86"	39"	64 1/4"	68 1/4"	14 1/2"	17 1/2"	18 1/2"	62 3/4"	69.10%
	Lo 27,000	26,000										

# THE STANFORD 55L

## DELUXE DIRECT VENT LINEAR

This baby must work out! Who could resist this fireplace with it's long, lean design. The contemporary styled Stanford offers up our largest flame viewing area at an impressive 55" wide. More flame – more game!

### KEY FEATURES

#### Deluxe System

- Ceramic glass
- Flush mount design
- 36,000 BTU (Stanford)
- Electronic Ignition
- 7 day programmable thermostat deluxe remote
- 7 stage modulating valve (flame control)
- Linear style burner
- 100% Safety shut off
- NG or LP
- Top vent only
- Black Porcelain panels
- Deluxe digital remote control
- Dual Fan kit with 6 stage adjustable control
- Black reflective fire glass media & 9 piece decorative rock media set
- Dual stainless steel pan burner

#### Glass Viewing Area:

18-1/2" H x 52-3/4" W

#### Accessories:

- Termination kit
- Extra decorative rock media - 3 piece set
- Liquid propane conversion kit
- Hard pipe vent
- Flex vent to hard pipe adaptor

#### Surround Options:

- Clean face surround
- Basic black surround with safety barrier
- Decorative black surround with safety barrier
- Decorative stainless steel surround with safety barrier

**Fuel Options:** NG or LP

### IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

# THE BENNETT 45L

## DELUXE DIRECT VENT LINEAR

The Bennett 45L offers you a choice of black metal surround with safety barrier.

### KEY FEATURES

#### Deluxe System

- Ceramic glass
- Black porcelain panels
- Flush mount design
- Black reflective fire glass media & 9 piece decorative rock media set
- 30,000 BTU (Bennett)
- 7 stage modulating valve (flame control)
- Linear style burner
- Electronic ignition
- 7 day programmable thermostat deluxe remote
- 100% Safety shut off
- NG or LP
- Top vent only
- Deluxe digital remote control
- Dual fan kit with 6 stage adjustable control
- Dual stainless steel pan burner

#### Glass Viewing Area:

16-1/2" H x 42" W

#### Accessories:

- Termination kit
- Extra decorative rock media - 3 piece set
- Liquid propane conversion kit
- Hard pipe vent
- Flex vent to hard pipe adaptor

#### Surround Options:

- Clean face surround
- Basic black surround with safety barrier
- Decorative black surround with safety barrier
- Decorative stainless steel surround with safety barrier

**Fuel Options:** NG or LP

### IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

## THE STANFORD 55L



## THE BENNETT 45L



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane	Top	Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
<b>Stanford</b>	Hi 36,000 Lo 21,000	32,000 26,000	4" & 7"	29.86"	39"	54.29"	58 1/2"	14 1/2"	17 1/2"	18 1/2"	52 3/4"	68.75%

Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane	Top	Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
<b>Bennett</b>	Hi 30,000 Lo 22,000	27,000 19,500	4" & 7"	29.86"	39"	44 1/4"	48 1/4"	14 1/2"	16 1/2"	16 1/2"	42"	69.50%

# THE LAMEGO

Explore what the Lamego Modern Linear Gas Fireplace has to offer.

## KEY FEATURES

- 45" Large Modern Zero Clearance Linear
- 30,000 BTU on High / 22,000 BTU on Low
- Borosilicate Glass
- Glass & Stone Media Included
- Heat Activated Variable Speed Fan
- Clean Face Surround with Safety Screen
- Venting Material & Remote Control not included

### Glass Viewing Area:

18-1/2" H x 42" W

### Fuel Options: NG or LP

## IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

## INCLUDED ACCESSORIES



# THE BOSTON 36

## 'BUILDERS' DIRECT VENT LINEAR

The Boston 36 is the ultimate gas fireplace, whether you're planning on entertaining or just want to unwind after a long day at work. Boston Gas 36 gives you quick convenient heat so you can get down to business of relaxing in front of the flames.

This unit is a perfect blend of tradition and functionality. At 16,000 BTU's it throws ample heat because of the less than 10" depth and smaller than 4 x 6 venting. The Boston 36 comes standard with an electronic ignition, full fan kit, linear burner, black glass kit. This is the ultimate fireplace for builders.

Optional surround and remote available for purchase.

## KEY FEATURES

- True Linear Design
- Tempered Glass
- Black Surround (optional)
- Safety Screen
- Black Glass Kit & Grey Pebble Kit
- Stainless Steel Burner
- Top Vent Design
- Termination Kit Boston ADP - adapter
- 40" Internal Ceiling
- 9-5/8" Deep For Framing
- 4" x 6" Venting
- Natural Gas or Liquid Propane
- Stainless Steel Burner
- Electronic Ignition Only
- Full Fan Kit
- Thermostatic Remote for EI System

## IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

## INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

## THE LAMEGO 45-LIGHT



## THE BOSTON 36 'BUILDERS' DIRECT VENT LINEAR



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane	Top	Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
<b>Lamego</b>	Hi 30,000 Lo 22,000	27,000 19,500	4" & 7"	29.86"	39"	44 1/4"	48 1/4"	14 1/2"	16 1/2"	18 1/2"	42"	69.50%

Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane	Top	Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
<b>Boston 36</b>	Hi 16,000 Lo 11,500	16,000 10,000	4" & 6"	25.44"	30 1/4"	34.91"	37"	10.24"	9 5/8"	12 3/4"	30 1/2"	69.50%

# THE THOMPSON

## BIG THINGS COME IN SMALL PACKAGES.

A direct vent fireplace that can really put out the heat - at 36" x 15" it is a compact fireplace that has an output of 26,000 BTU's.

Available in deluxe models only and in natural gas and propane.

### KEY FEATURES

- Black trim & safety barrier (both attached to unit)
- 26,000 BTU
- Electronic ignition
- Borosilicate glass
- 100% Safety shut off
- Top vent only
- Black Porcelain panels
- 4 piece log set
- Deluxe digital remote control
- Fan kit
- Modulating valve

**Glass Viewing Area:**  
16-1/2" H x 29" W

- Optional Accessories:**
- Termination kit
  - Liquid propane conversion kit
  - Natural gas conversion kit

**Fuel Options:** NG or LP

### IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

# THE NEWCOMB 36 DV

## CONTEMPORARY DIRECT VENT LINEAR

With the contemporary styled Newcomb gas fireplace you can make that first impression a good one! Imagine cozying up with this unit!

### KEY FEATURES

#### Standard System

- True clean face design
- Tempered glass
- Black porcelain panels
- 21,000 BTU
- 100% Safety shut off
- Top vent only
- Electronic ignition
- Remote control (basic)
- Black reflective fire glass & 3 piece decorative rock set

#### Deluxe System

- True clean face design
- Tempered glass
- Black porcelain panels
- 21,000 BTU
- 100% Safety shut off
- Top vent only
- Fan kit
- Modulating valve
- Electronic ignition
- Remote control (basic)
- Deluxe digital remote control
- Black reflective fire glass & 3 piece decorative rock set

**Glass Viewing Area:**  
15" H x 32-1/2" W

#### Optional Accessories:

- Termination kit
- Extra decorative rock media - 3 piece set

#### Surround Options:

- Clean face surround
- Stainless steel surround
- Basic black surround with screen
- Decorative black surround with screen

**Fuel Options:** NG or LP

### IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

## THE THOMPSON



## THE NEWCOMB 36DV



Model	BTU's		Vent	Height		Width		Depth		Viewing Area	
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width
<b>Thompson</b>	Hi 26,000 Lo 18,000	26000 18,000	4" & 7"	28 1/2"	37"	39 1/2"	38"	13"	15"	16 1/2"	29"

Model	BTU's		Vent	Height		Width		Depth		Viewing Area	
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width
<b>Newcomb</b>	Hi 21,000 Lo 13,000	20750 13,000	4" & 7"	27 1/2"	33 1/2"	34 1/8"	38"	14 13/32"	15 1/2"	15	32 1/2"

# THE EMERSON 48ST

## SEE-THRU DIRECT VENT LINEAR

A 48" wide See-Thru unit that is just 9" deep. Featuring a robust flame and a significant heat output at 26,000 BTU's, the Emerson is a lovely addition to any space. Comes standard in the Deluxe version, it comes with black fire glass media and deluxe remote control. New vertical installation adapter kit available for through the roof applications. *Note: unit does not come with a fan.*

### KEY FEATURES

- Borosilicate glass
- Just 9" deep
- No fan
- 2 safety screens
- Flush Clean face design
- 26,000 BTU
- Electronic Ignition
- 7 day programmable thermostat deluxe remote
- 7 stage modulating valve (flame control)
- Linear style burner
- NG or LP
- Top vent only
- 2 non combustable boards
- Steel header
- Black reflective fire glass media
- Dual stainless steel pan burner

**Glass Viewing Area:**  
13" H x 41" W

- Optional Accessories:**
- Extra decorative rock media - 3 piece set
  - Natural gas conversion kit

**Fuel Options:** NG or LP

### IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

THE EMERSON 48ST



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane	Top	Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
<b>Emerson</b>	Hi Lo	26,000 16,000	4" & 6"	27"	56"	47.63"	51 3/4"	9.85	8 3/4"	13"	41"	65.80%

# THE TAHOE 45OL

## OUTDOOR VENT-FREE LINEAR

The Tahoe 45OL outdoor linear gas fireplace has been built tough to weather whatever the elements can throw at it. This unit allows wood framing and can be installed without a surround, finishing material installed right up to the glass for a simplified modern look or with the durable 3" stainless steel surround. Unit even comes with a stainless steel cover for protecting when not in use.

Tahoe 45OL comes with rock and Black Onyx fire glass media, and a stainless steel frame.

### KEY FEATURES

The Tahoe can be built-in to highlight the 3" trim or install with finishing material right up to the glass viewing area.

- 6" glass shield
- 40,500 BTU
- Stainless steel cover
- Kill switch for cover
- Electronic ignition - battery powered
- Remote control
- Stainless steel pan burner - criss-cross pattern
- Wood framing is allowed
- 9 piece decorative rock media set
- Black reflective fire glass media

**Glass Viewing Area:**  
14-1/2" H x 39" W

**Fuel Options:** NG or LP

### IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

### INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

THE TAHOE 45OL



Model	BTU's		Vent	Height		Width		Depth	
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing
<b>Tahoe</b>	Hi 40,000 Lo 29,000	32500 25,000	Vent-less	25"	31"	43 1/8"	47 3/8"	14"	16"

# THE ABBOT 30IN

## DIRECT VENT INSERT

You will be impressed with the large glass viewing area. The Abbot is available in Deluxe and Premiere systems that offer you superior flame and heat control. Each unit comes with the standard black porcelain panels, black reflective glass and a 9 piece rock set. For a more traditional look try the optional ceramic brick panels and log set. Comes standard to run on natural gas but also available for liquid propane use.

## KEY FEATURES

### Premiere System

- True clean face design
- Ceramic glass
- 26,000 BTU
- Hi/low modulating flame control
- Electronic ignition
- 100% safety shut off
- On/off thermostat
- Battery powered

### Glass Viewing Area:

16" H x 25" W

### Optional Accessories:

- Chimney cap
- Extra decorative rock media - 3 piece set

### Surround Options:

- Standard black surround
- 4 sided black surround
- Child safety screen

### Fuel Options: NG or LP

### Deluxe System

- True clean face design
- Ceramic glass
- 26,000 BTU
- 7 day programmable thermostat remote control
- 7 stage modulating flame control
- Full fan kit w/6 stage adjustable fan control
- 110v required
- Electronic ignition
- 100% safety shut off

## IDEAL APPLICATIONS

- Renovations, but has to have an existing masonry fireplace
- Commercial Spaces
- Condominiums

## INCLUDED ACCESSORIES




OR



\*For surrounds add between 5-20 lbs depending on the size of the unit.

ABBOT 30IN GAS FIREPLACE W/LOGS

ABBOT 30IN W/ROCK & GLASS MEDIA



Model	BTU's		Vent	Height	Width	Depth	Viewing Area		Efficiency
	Natural Gas	Propane					Height	Width	
Abbot	Hi 26,000	Lo 00,000	3" & 3"	20 1/4"	27"	16 1/4"	16"	25"	68.30%

# THE PALISADE 36ST

## SEE-THRU DIRECT VENT LINEAR

The Palisade see-thru direct vent unit is a perfect choice for today's contemporary floor plans, allowing you a great view of your fireplace from more than one room. The finishing material can also be built right up to the glass. Not only is the Palisade smart but sexy as well with its curved front face design.

## KEY FEATURES

### Standard System

- True clean face design
- 2 safety screens
- 20,000 BTU
- Electronic ignition
- Tempered glass
- 100% safety shut off
- Side vent only
- Black porcelain panels
- Remote control (Basic)
- Black reflective fire glass and rock set

### Glass Viewing Area:

15" H x 32-1/2" W

### Optional Accessories:

- Termination kit
- Extra decorative rock media - 3 piece set

### Surround Options:

- Black surround without access panel
- Black surround with access panel
- Child safety screen (2 per box)

### Fuel Options: NG or LP

### Deluxe System

- True clean face design
- 2 safety screens
- 20,000 BTU
- Electronic ignition
- Tempered glass
- 100% safety shut off
- Side vent only
- Black porcelain panels
- Deluxe digital remote control
- Fan kit
- Modulating valve
- Black reflective fire glass and rock set

## IDEAL APPLICATIONS

- New builds & Renovations
- Restaurants
- Commercial Spaces
- Condominiums

## INCLUDED ACCESSORIES



\*For surrounds add between 5-20 lbs depending on the size of the unit.

THE NEWCOMB 36DV



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	
Palisade	Hi 20,000	Lo 13,000	4" & 7"	27.38"	32"	35.3"	39 1/2"	11.88"	10 7/8"	15"	32 1/2"	63.45%




**FIRE GLASS**

Our decorative fire glass media is a beautiful addition to your fireplace. Turn your fireplace into a expressive work of art by simply adding our decorative fire glass media. Our fire glass adds a distinctly modern feel to your gas fireplace - mix colors and textures for a unique appearance.

Our decorative fire glass is tempered and will not melt or degrade, some discoloration is normal on glass that is placed directly on the flame. Always wear protective gloves when handling fire glass media.

One 5lb container of media will cover 1 square foot.



**DESIGNER MEDIA KITS**

Inspired by the natural beauty of the outdoors, each kit comes with a rustic log set, colored pebble mix, smooth river rocks, Sierra Flame black fire glass and grey/black and natural vermiculite ash. This designer media kit is for use with the listed gas models as well as our new Amantii TRU-VIEW 3 sided electric fireplace. Designed by Sierra Flame and Amantii - Inspired by Mother Nature!



**DESIGN-MEDIA-RUSTIC-14PCE**

Bennett  
Stanford  
Austin  
Tahoe

Note: Sierra flame gas fireplace units can be outfitted with our high quality, realistic looking log sets.

You will find there are more log set pieces in the box than can be used. Every precaution has been taken to ensure the log sets are not damaged in transit – but in the event that there is some breakage there will be extra pieces to use in their place.

Please refer to the set up guide for placement of your log set pieces for proper function and the most realistic display.

**STANDARD GAS SURROUNDS**

	<p><b>Basic Black</b></p> <p>Abbot 30IN Austin 65L Bennett 45L Bradley 36 Langley 36L Newcomb 36DV Stanford 55L</p>		<p><b>Decorative Black</b></p> <p>Newcomb 36DV Palisade 36ST Bennett 45L Stanford 55L</p>
	<p><b>Clean Face</b></p> <p>Newcomb 36DV Bennett 45L Stanford 55L Austin 65L</p>		<p><b>Decorative Stainless</b></p> <p>Newcomb 36DV Bennett 45L Stanford 55L</p>

**VIENNA, TOSCANA & LYON HEAT SHIELD**

**Now you can enjoy:**

**Clear View: Double wall glass technology**

Clear View has done away with the need for distractive safety screens. The double shield glass, protects hands from burning, while you can enjoy uncompromised views of your stunning fireplace.

**Warm Glass System: Safety touch glass**

The Warm Glass System, skillfully brings the temperature of the glass down below the stringent standard of 172 degree, while still allowing radiant heat to efficiently heat your room.

**Easy Clean: No technician required**

With the easy maintenance glass removal system, you won't need a service technician to come and clean our fireplace viewing glass area.

SPECIFICATIONS

Model	Venting**	Ceiling / Mantle Height
Vienna		
Toscana		
Lyon		
Austin	4" flex vent on exhaust side 7" flex vent on the air intake side	Internal ceiling = 58" from top of unit Mantel height = 45"
Stanford	4" flex vent on exhaust side 7" flex vent on the air intake side	Internal ceiling = 58" Mantle height = minimum 45"
Bennett	4" flex vent on exhaust side 7" flex vent on the air intake side	Internal ceiling = 58" Mantle height = minimum 42"
Lamego	4" flex vent on exhaust side 7" flex vent on the air intake side	Internal ceiling = 58" Mantle height = minimum 42"
Boston	3" flex vent on exhaust side 6" flex vent on the air intake side	Internal ceiling = 38" Mantle height = 40"
Thompson	4" flex vent on exhaust side 7" flex vent on the air intake side	Internal ceiling = 52" from top of unit Mantel height = 42"
Newcomb	4" flex vent on exhaust side 7" flex vent on the air intake side	Internal ceiling = minimum 48" Mantle Height = minimum 40"
Emerson	4" flex vent on exhaust side 6" flex vent on the air intake side	Please refer to manual pages 16 & 17
Tahoe	No venting required	Internal ceiling = 48" Mantle height = 42"
Abbot	3" flex vent on exhaust side 3" flex vent on the air intake side	Mantle Height = minimum 33" with a 4" deep mantle Please see manual for other mantle clearances
Palisade	4" flex vent on exhaust side 7" flex vent on the air intake side	Internal ceiling = minimum 40" Mantle Height = minimum 40"

The Sierra Flame Advantage

All Sierra Flame units are manufactured with the highest quality parts available, from the smallest component to the optional hand crafted overlays. Our units are designed for ease of installation and servicing and our focus is on keeping the styles fresh and current. As well, our realistic and exceptionally large flame is a noticeable feature that sets us apart from the competition. Our standard units include upgrades that would be costly add-ons with other suppliers like the remote control, quality fire glass media, decorative rock and log sets. We offer to you a finely tuned selection of units – focusing on quality not quantity and hope that you choose a Sierra Flame fireplace to enjoy for years to come!

OUTSIDE SURROUND DIMENSIONS

Model	Model Number	Outside Surround Dimensions	Description
Vienna			
Toscana			
Lyon			
Austin			
Stanford	STANFORD-CLEAN-BLK STANFORD-SB STANFORD-SUR-BLK	18.50 x 52.70 26.10 x 49.46 30 x 63.05	Clean face black surround with safety barrier Basic trim & safety barrier Decorative black surround with safety barrier
Bennett	BENNETT-CLEAN-BLK BENNETT-SB BENNETT-SUR-BLK	18.50 x 42.70 26.10 x 49.46 30 x 53.17	Clean face black surround with safety barrier Basic trim & safety barrier Decorative black surround with safety barrier
Lamego			
Boston	BOSTON-36		Basic trim & safety barrier (Required)
Thompson			
Newcomb	NEWCOMB-CLEAN-BLK NEWCOMB-SURR-BLK-SCR NEWCOMB-36-SURR-BLK-SCR	14.89 x 32.66 22.62 x 39.71 26.67 x 43.34	Clean Face Black Black Surround with safety barrier Basic black surround with screen Decorative Black surround with screen
Emerson	EMERSON-48-DELUXE		
Tahoe	N/A	N/A	N/A
Abbot	ABBOT-30-BLK-28 ABBOT-30-BLK-26 ABBOT-4PCE-BLK-32	28.03 x 40.12 26.03 x 40.12 please see website	Standard black 3 sided surround Standard black 3 sided surround 4 sided black surround
Palisade	PALISADE-36-SURR PALISADE-36-SURR-AP	26.56 x 42.87 26.56 x 42.87	Black surround (without access panel) Black surround with access panel

\*\*Venting - Any certified 2 ply flex piping can be used. Certified on Duravent, Selkirk, Metal Fab, ICC Valves - American Flame & Skytech EI system



Austin 65L gas fireplace



Stanford gas fireplace with Clean Face surround



Bennett 45L gas fireplace



Newcomb gas fireplace with Clean Face surround



SF-GAS-US

April 2021

Distributed By:

We reserve the right to update products, specifications and dimensions are subject to change. Please refer to the product manual to verify measurements and clearance requirements. All local building codes must be followed.

**SIERRA FLAME**

Visit our online showrooms at:

[www.sierraflame.com](http://www.sierraflame.com)