



## Round UFO Highbay

### 3CCT & 3 Power Selectable w/ 6' whip

**Applications:**

- Gymnasium Lighting
- Warehouse Lighting
- Workshop Lighting
- Outdoor Lighting

**Product Information:**

- 0-10V dimmable integrated driver
- IP-67 fully water & dust-proof
- Operating Temperature Range: -40° F ~ 113° F  
 -22° F ~ 113° F (w/ motion sensor)



**LED - RHB 3 -**      **Watts**      **- CTR I - 6' -**      **Finish**      **EMB**      **Mount**      **Reflector**      **Accessory**      **Warranty**


**1**      **2**      **3**      **4**      **5**      **6**      **7**      **8**      **9**

| 1 Product                         | 2 Watts  | 3 Color                    | 4 Finish                            | 5 EMB   | 6 Mount  | 7 Reflector   | 8 Accessory  | 9 Warranty  |
|-----------------------------------|--|----------------------------|-------------------------------------|---|--|---|--|---|
| <b>LED-RHB3</b><br>Round High Bay | <b>3P150</b> 60/100/150W<br>7,800/13,000/19,500lm<br><br><b>3P240</b> 180/210/240W<br>23,400/27,300/31,200lm | <b>CTRI</b><br>50K/40K/35K | <b>BLK</b> Black<br><b>WH</b> White | <b>(Blank)</b> None<br><b>EMB</b> 30W HV External<br><b>HV</b> 480V | <b>(Blank)</b> None<br><b>YK</b> Surface Mount Yoke<br><b>PDM-HK</b> Pendant Mount Hook 1"<br><b>CL</b> Chain Link Connector | <b>(Blank)</b> None<br><b>ALM</b> Aluminum Reflector<br><b>ACR</b> Acrylic Reflector<br><b>ACR-BC</b> ACR with Bottom Cover | <b>(Blank)</b> None<br><b>BMS</b> Bi-Level Motion Sensor<br><b>SBT</b> Bluetooth Control | <b>(Blank)</b> 5 Years (incl)<br><b>10YR</b> 10 Years |


*Specs and model numbers are subject to change with or without notice*

## DIMENSIONS


### Pendant Mount





### Surface Mount





### Pendant Mount




### Surface Mount



150W



240W



## ACCESSORIES



**Acrylic Bottom Cover (90°)**  
RHB3-100/150-ALM-RF-90  
RHB3-240-ALM-RF-90



**Acrylic Reflector (90°)**  
RHB3-100/150-ACR-RF  
& RHB3-240-ACR-RF



**Acrylic Bottom Cover (90°)**  
RHB3-UNV-ACR-BC



**Surface Mount Yoke**  
RHB-100/150-SM  
& RHB-240-SM

| Accessory Model        | Description  |
|------------------------|--|
| RHB-PDM-HK             | Pendant Mount Hook 1/2" Pipe   |
| RHB3-100/150-WG        | 100/150w Wire Guard  |
| RHB3-240-WG            | 240w Wire Guard  |
| RHB-100/150-SM         | 100/150w Surface Mount   |
| RHB-240-SM             | 240w Surface Mount   |
| RHB3-100/150-ALM-RF-90 | Aluminum Reflector 90°   |
| RHB3-240-ALM-RF-90     | Aluminum Reflector 90°   |
| RHB-100/150-ACR-RF     | Acrylic Reflector 90°  |
| RHB-240-ACR-RF         | Acrylic Reflector 90°  |
| RHB-UNV-ACR-BC         | Acrylic Bottom Cover 90°   |
| LED-EMB-30W-HV-UFO     | Emergency Back Up For Internal Drivers- High Voltage 170V Output Includes Round UFO HighBay EM Kit Uninstalled Price |
| LED-EMB-25W-HV-0/10V   | Surface Mount Application  |
| UFO-TEST-CTR           | Test button remote control for HV-UFO  |



**Pendant Emergency Backup**



**UFO Emergency Test Controller**



**Pendant Mount Hook**  
RHB-PDM-HK: 1" Pipe




**Chain Link Connector**  
(RHB-CL)




**HB01DMS-A**  
Bi Level Motion Sensor and Daylight Harvesting Sensor




**HB01R**  
Controller for HB01DMS-A




**240W Wire Guard**  
RHB3-240-WG  
RHB3-100/150-WG





**Acrylic Bottom Cover (90°)**  
RHB-UNV-ACR-BC





**Acrylic Reflector (90°)**  
RHB-100/150-ACR-RF




**Acrylic Reflector (90°)**  
RHB-240-ACR-RF





**Wire Guard**  
RHB3-100/150-WG




**Wire Guard**  
RHB3-240-WG



**Aluminum Reflector**  
RHB3-100/150-ALM-RF-90



**Aluminum Reflector**  
RHB3-240-ALM-RF-90



**FEATURES**



**Changeable Bracket**  
Use suspension hook or surface mount yoke bracket

**Integrated Heatsink**  
Aluminum heatsink integrated into fixture body

**Die-cast Aluminum**  
Rugged powder-coated aluminum housing

**Phillips LEDs**  
Reliable and powerful LED chips for long-lasting efficacy

**Fully Waterproof**  
IP67-rated enclosure can be used outdoors or hosed down for cleaning



**Motion Sensor**

**3 Power Selectable**

**3 CCT Selectable**

