

# 1140-25F-LED

WIDE AREA TASK LIGHT, 1140 SERIES 175W LED , 25FT OF 14/3 SOW CABLE W/ NEMA 5-15P & SEC = NEMA 5-15C. MAX CONNECT = 6 FIXTURES PER CIRCUIT



## Key features

- High efficient LED Array and Driver.
- Lightweight, heavy duty and impact resistant material.
- Ends are designed for cable egress to prevent cable pinching. when unit is storage or used in a vertical orientation
- Available Emergency drive and battery provides 10% of rated lumens for 90 minutes.
- Battery provides egress light for 90 minutes minimum.
- Cool white and glare free LED for reduced eye stress.
- Made in USA.



Color	Black
-------	-------

UPC Code	782862898079
----------	--------------

Country of Origin	USA
-------------------	-----

## Specifications

Brand	Ericson
-------	---------

Category	Industrial Grade
----------	------------------

Sub Category	Wide Area Light
--------------	-----------------

## Technical Info

<b>Bulb Type</b>	LED
<b>Lumens</b>	23900
<b>Cable Length</b>	25
<b>Cable</b>	14/3
<b>Cable Type</b>	SOW
<b>Max Amps</b>	12
<b>Max Volts</b>	120-277
<b>Max Watts</b>	1500
<b>Primary Cable End</b>	NEMA 5-15 (1510-PW6P) Water Tight Plug
<b>Secondary Cable End</b>	NEMA 5-15 (1610-CW6P) Water Tight Connector
<b>NEMA Environment</b>	Outdoor Use, Wet Location
<b>Construction</b>	Designed for Demanding Environments, Rugged Indoor/Outdoor, Non-Conductive/Corrosive Handles, Extreme Temperature Ratings


## Standards & Certifications

<b>ETL</b>	ETL listed to UL153
<b>cETL</b>	cETL listed to CSA C22.2 No.250.4

## Shipping & Logistics Info

<b>Pack/Unit Qty</b>	1
<b>HTS code</b>	9405408440
<b>ECCN</b>	EAR99
<b>Gross Weight (lbs)</b>	24.10000
<b>Pallet Qty</b>	50
<b>Shipment Packaging Length (in)</b>	57
<b>Warranty</b>	1 Year

## Accessories



**PART#:** 1140-FS



**PART#:** 1140-LS



**PART#:** FS-FOOT



**PART#:** FS-PIVOT

## Other Options



**PART#:** 1140-50F-LED



Ericson Manufacturing Company  
4323 Hamann Parkway  
Willoughby, OH 44094, USA



1-800-374-2766  
info@ericson.com

ericson.com