123100LEDXPI-1-XP

STRING LIGHT HAZ LOCATION, W/100FT 12/3 YEL SEOW CABLE W/10 LIGHTS TOTAL SPACED EVERY 8.33FT. PRI = UGP-15231(5-15P), SEC = N/A. LAMP TYPE = LED 12V W/ CAST ALUM GUARDS







• cETLus listed• Class I & II Div 1 & 2, Groups C, D, F & G• NEMA 4X Rated, and Wet location rated• Copper-free, cast aluminum, anti-spark guard• High-impact tempered borosilicate glass globe • Heat, chemical and impact resistant, glass reinforced handle• Cord restraint seal system provides flex and water resistance• Accommodates #16/3 to #14/3 in various types of cord jackets• Stringlights are available in 65' and 100 ft. cord lengths• -20°C to 40°C Ambient

Color	Yellow
UPC Code	782862926253
Country of Origin	USA
Specifications	
Brand	Ericson
Sub Brand / Trademark	XP SL
Category	Hazardous Location Grade
Sub Category	String Light



Technical Info

Bulb Type	LED OMNI
Lumens	850
Cable Length	100
Cable	12/3
Cable Type	SEOW
Max Amps	15
Max Volts	120
Max Watts	11
Primary Cable End	NEMA 5-15 (UGP-15231) Hazardous Location Plug
NEMA Environment	Class I, Division 1 & 2, Groups C,D,F &G
Construction	Overall Length (FT) = 100, # of Sockets/Lights = 10, Length/Spacing between Sockets/Lights (FT) = 8.33

Standards & Certifications

ETL	ETL Listed to ANSI/UL 153 & UL844
cETL	cETL Listed to CSA-C22.2 No. 250.4

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	9405408410
ECCN	EAR99
Gross Weight (Ibs)	110.00000
Shipment Packaging Length (in)	42
Warranty	1 Year



Ericson Manufacturing Company 4323 Hamann Parkway Willoughby, OH 44094, USA



1-800-374-2766 info@ericson.com