

123100LEDXPI-5L-16

STRINGLIGHT HAZ LOC LOW VOLT, XPLV W/ 100FT 12/3 YEL SEOW CABLE W/ 5 LIGHTS EVERY 18.75FT. PRI = NEMA 6-15 (UGP-15232) & SEC = N/A. LAMP TYPE = LED 12V W/ ALUM GUARDS



Key features



- cETLus listed
- Class I & II Div 1 & 2, Groups C, D, F & G
- NEMA 4X Rated, and Wet location rated
- Copper-free, cast aluminum, anti-spark guard
- High-impact tempered borosilicate glass globe
- Heat, chemical and impact resistant, glass reinforced handle
- Cord restraint seal system provides flex and water resistance
- Accommodates #16/3 to #14/3 in various types of cord jackets
- Stringlights are available in 65' and 100 ft. cord lengths
- -20°C to 40°C Ambient

Color	Yellow
UPC Code	782862905098
Country of Origin	USA

Specifications

Brand	Ericson
Sub Brand / Trademark	XP SL
Category	Hazardous Location Grade
Sub Category	String Light - Low Voltage

Technical Info

Bulb Type	LED 12V
Lumens	850
Cable Length	100
Cable	12/3
Cable Type	SEOW
Max Amps	15
Max Volts	12
Max Watts	8
Primary Cable End	NEMA 6-15 (UGP-15232) Hazardous Location Plug
NEMA Environment	Class I, Division 1 & 2, Groups C,D,F &G
Construction	Overall Length (FT) = 100, # of Sockets/Lights = 5, Length/Spacing between Sockets/Lights (FT) = 18.75

Standards & Certifications

ETL	ETL Listed to ANSI/UL 153 & UL844
cETL	cETL Listed to CSA-C22.2 No. 250.4

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	9405408410
ECCN	EAR99
Gross Weight (lbs)	112.00000
Shipment Packaging Length (in)	42
Warranty	1 Year

Accessories



PART#: 1941-12-
C1D2-16

Other Options



PART#:
123100LEDXPI-6L-16



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com