

# 123100LEDXPI-5L

STRINGLIGHT HAZ LOC LOW VOLT, XPLV W/ 100FT 12/3 YEL  
SEOW CABLE W/ 5 LIGHTS EVERY 18.75FT. PRI = NEMA  
5-15P (UGP-15231) & SEC = N/A. LAMP TYPE = LED 12V W/  
ALUM GUARDS



## Key features



- cETLus listed
- Class I & II Div 1 & 2, Groups C, D, F & G
- NEMA 4X Rated, and Wet location rated
- Copper-free, cast aluminum, anti-spark guard
- High-impact tempered borosilicate glass globe
- Heat, chemical and impact resistant, glass reinforced handle
- Cord restraint seal system provides flex and water resistance
- Accommodates #16/3 to #14/3 in various types of cord jackets
- Stringlights are available in 65' and 100 ft. cord lengths
- -20°C to 40°C Ambient

Color	Yellow
UPC Code	782862900321
Country of Origin	USA

## Specifications

Brand	Ericson
Sub Brand / Trademark	XP SL
Category	Hazardous Location Grade
Sub Category	String Light - Low Voltage

## Technical Info

<b>Bulb Type</b>	LED 12V
<b>Lumens</b>	850
<b>Cable Length</b>	100
<b>Cable</b>	12/3
<b>Cable Type</b>	SEOW
<b>Max Amps</b>	15
<b>Max Volts</b>	12
<b>Max Watts</b>	8
<b>Primary Cable End</b>	NEMA 5-15 (UGP-15231) Hazardous Location Plug
<b>NEMA Environment</b>	Class I, Division 1 & 2, Groups C,D,F &G
<b>Construction</b>	Overall Length (FT) = 100, # of Sockets/Lights = 5, Length/Spacing between Sockets/Lights (FT) = 18.75

## Standards & Certifications

<b>ETL</b>	ETL Listed to ANSI/UL 153 & UL844
<b>cETL</b>	cETL Listed to CSA-C22.2 No. 250.4

## Shipping & Logistics Info

<b>Pack/Unit Qty</b>	1
<b>HTS code</b>	9405408410
<b>ECCN</b>	EAR99
<b>Gross Weight (lbs)</b>	110.00000
<b>Shipment Packaging Length (in)</b>	42
<b>Warranty</b>	1 Year

## Accessories



**PART#:**  
1941-12-C1D2

## Other Options



**PART#:**  
123100LEDXPI-6L



Ericson Manufacturing Company  
4323 Hamann Parkway  
Willoughby, OH 44094, USA



1-800-374-2766  
[info@ericson.com](mailto:info@ericson.com)

[ericson.com](http://ericson.com)