

123100LEDXPI-6L

STRINGLIGHT HAZ LOC LOW VOLT, XPLV W/ 100FT 12/3 YEL
SEOW CABLE W/ 6 LIGHTS EVERY 15FT. PRI = NEMA 5-15
(UGP-15231) & SEC = N/A. LAMP TYPE = LED 12V W/ ALUM
GUARDS



Key features



- cETLus listed
- Class I & II Div 1 & 2, Groups C, D, F & G
- NEMA 4X Rated, and Wet location rated
- Copper-free, cast aluminum, anti-spark guard
- High-impact tempered borosilicate glass globe
- Heat, chemical and impact resistant, glass reinforced handle
- Cord restraint seal system provides flex and water resistance
- Accommodates #16/3 to #14/3 in various types of cord jackets
- Stringlights are available in 65' and 100 ft. cord lengths
- -20°C to 40°C Ambient

Color	Yellow
-------	--------

UPC Code	782862900314
----------	--------------

Country of Origin	USA
-------------------	-----

Specifications

Brand	Ericson
-------	---------

Sub Brand / Trademark	XP SL
-----------------------	-------

Category	Hazardous Location Grade
----------	--------------------------

Sub Category	String Light - Low Voltage
--------------	----------------------------

Technical Info

Bulb Type	LED 12V
Lumens	850
Cable Length	100
Cable	12/3
Cable Type	SEOW
Max Amps	15
Max Volts	12
Max Watts	8
Primary Cable End	NEMA 5-15 (UGP-15231) Hazardous Location Plug
NEMA Environment	Class I, Division 1 & 2, Groups C,D,F &G
Construction	Overall Length (FT) = 100, # of Sockets/Lights = 6, Length/Spacing between Sockets/Lights (FT) = 15

Standards & Certifications

ETL	ETL Listed to ANSI/UL 153 & UL844
cETL	cETL Listed to CSA-C22.2 No. 250.4

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	9405408410
ECCN	EAR99
Gross Weight (lbs)	110.00000
Shipment Packaging Length (in)	42
Warranty	1 Year

Accessories



PART#:
1941-12-C1D2

Other Options



PART#:
123100LEDXPI-5L



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com