12365LEDXPI-1



STRINGLIGHT HAZ LOC, XP W/ 65FT 12/3 YEL SEOW CABLE W/ 5 LIGHTS EVERY 10FT. PRI = NEMA 5-15 SMART MONTITOR PLUG & SEC = N/A. LAMP TYPE = LED OMNI W/ ALUM GUARDS



Key features



• cETLus listed• Class I & II Div 1 & 2, Groups C, D, F & G• NEMA 4X Rated, and Wet location rated• Copper-free, cast aluminum, anti-spark guard• High-impact tempered borosilicate glass globe • Heat, chemical and impact resistant, glass reinforced handle• Cord restraint seal system provides flex and water resistance• Accommodates #16/3 to #14/3 in various types of cord jackets• Stringlights are available in 65' and 100 ft. cord lengths• -20°C to 40°C Ambient

Color	Yellow
UPC Code	782862905395
Country of Origin	USA
Specifications	
Brand	Ericson
Sub Brand / Trademark	XP SL
Category	Hazardous Location Grade
Sub Category	String Light

Technical Info

Bulb Type	LED OMNI
Lumens	850
Cable Length	65
Cable	12/3
Cable Type	SEOW
Max Amps	15
Max Volts	120
Max Watts	11
Primary Cable End	NEMA 5-15 (1510-PW6P) Water Tight, Smart Monitor Plug
NEMA Environment	Class I, Division 1 & 2, Groups C,D,F &G
Construction	Overall Length (FT) = 65, # of Sockets/Lights = 5, Length/Spacing between Sockets/Lights (FT) = 10

Standards & Certifications

ETL	ETL Listed to ANSI/UL 153 & UL844
cETL	cETL Listed to CSA-C22.2 No. 250.4

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	9405408410
ECCN	EAR99
Gross Weight (Ibs)	45.00000
Shipment Packaging Length (in)	21
Warranty	1 Year



Ericson Manufacturing Company 4323 Hamann Parkway Willoughby, OH 44094, USA



1-800-374-2766 info@ericson.com