

12365LEDXPI-BL

STRINGLIGHT HAZ LOC, XP W/ 65FT 12/3 YEL SEOW CABLE
W/ 5 LIGHTS EVERY 10FT. PRI = BLUNT END & SEC = NONE.
LAMP TYPE = LED OMNI W/ ALUM GUARDS



Key features



EXPRESS BUILD



- cETLus listed
- Class I & II Div 1 & 2, Groups C, D, F & G
- NEMA 4X Rated, and Wet location rated
- Copper-free, cast aluminum, anti-spark guard
- High-impact tempered borosilicate glass globe
- Heat, chemical and impact resistant, glass reinforced handle
- Cord restraint seal system provides flex and water resistance
- Accommodates #16/3 to #14/3 in various types of cord jackets
- Stringlights are available in 65' and 100 ft. cord lengths
- -20°C to 40°C Ambient

Color	Yellow
-------	--------

UPC Code	782862905388
----------	--------------

Country of Origin	USA
-------------------	-----

Specifications

Brand	Ericson
-------	---------

Sub Brand / Trademark	XP SL
-----------------------	-------

Category	Hazardous Location Grade
----------	--------------------------

Sub Category	String Light
--------------	--------------

Technical Info

Bulb Type	LED OMNI
Lumens	850
Cable Length	65
Cable	12/3
Cable Type	SEOW
Max Amps	20
Max Volts	120
Max Watts	11
Primary Cable End	Blunt End
NEMA Environment	Class I, Division 1 & 2, Groups C,D,F &G
Construction	Overall Length (FT) = 65, # of Sockets/Lights = 5, Length/Spacing between Sockets/Lights (FT) = 10

Standards & Certifications

ETL	ETL Listed to ANSI/UL 153 & UL844
cETL	cETL Listed to CSA-C22.2 No. 250.4

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	9405408410
ECCN	EAR99
Gross Weight (lbs)	45.00000
Shipment Packaging Length (in)	21
Warranty	1 Year



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com