

2650-LED-L

HANDLAMP, HAZARDOUS LOCATION LOW VOLTAGE LED 12V
OMNI W/ 50FT OF 16/3 SOW CABLE W/ NEMA 5-15 WATER
TIGHT PLUG



Key features



- cETLus listed
- Class I & II Div 1 & 2, Groups C, D, F & G
- NEMA 4X Rated, and Wet location rated
- Copper-free, cast aluminum, anti-spark guard
- High-impact tempered borosilicate glass globe
- Heat, chemical and impact resistant, glass reinforced handle
- Cord restraint seal system provides flex and water resistance
- Accommodates #16/3 to #14/3 in various types of cord jackets
- Hand lamps are available in 25, 50 and 100 ft. cord lengths
- -20°C to 40°C Ambient

Color	Gray
-------	------

UPC Code	782862899434
----------	--------------

Country of Origin	USA
-------------------	-----

Specifications

Brand	Ericson
-------	---------

Sub Brand / Trademark	XP HL
-----------------------	-------

Category	Hazardous Location Grade
----------	--------------------------

Sub Category	Hand Lamp
--------------	-----------

Technical Info

Bulb Type	LED 12V OMNI
Lumens	850
Cable Length	50
Cable	16/3
Cable Type	SOW
Max Amps	.58
Max Volts	12
Max Watts	7
Primary Cable End	NEMA 5-15 (1510-PW6P) Water Tight Plug
NEMA Environment	Class I, Division 1 & 2, Groups C,D,F &G
Finish	High Impact High insulation properties and heavy duty aluminum guard
Construction	2600-LED Explosion Proof Handlamp, High Impact High insulation properties and heavy duty aluminum guard

Standards & Certifications

ETL	ETL Listed to ANSI/UL 153 & UL844
cETL	cETL Listed to CSA-C22.2 No. 250.4

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	8544429090
ECCN	EAR99
Gross Weight (lbs)	11.75000
Shipment Packaging Length (in)	24
Warranty	1 Year

Accessories



PART#: 2601



PART#: 2607

Other Options



PART#: 2625-LED-L



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com