

# 2650-LED-XP

HANDLAMP, HAZARDOUS LOCATION GRADE LED OMNI W/  
50FT OF 14/3 SOW CABLE W/ NEMA 5-15 (UGP-15231)  
HAZARDOUS LOCATION PLUG



## Key features



- cETLus listed
- Class I & II Div 1 & 2, Groups C, D, F & G
- NEMA 4X Rated, and Wet location rated
- Copper-free, cast aluminum, anti-spark guard
- High-impact tempered borosilicate glass globe
- Heat, chemical and impact resistant, glass reinforced handle
- Cord restraint seal system provides flex and water resistance
- Accommodates #16/3 to #14/3 in various types of cord jackets
- Hand lamps are available in 25, 50 and 100 ft. cord lengths
- -20°C to 40°C Ambient

Color	Gray
-------	------

UPC Code	782862901830
----------	--------------

Country of Origin	USA
-------------------	-----

## Specifications

Brand	Ericson
-------	---------

Sub Brand / Trademark	XP HL
-----------------------	-------

Category	Hazardous Location Grade
----------	--------------------------

Sub Category	Hand Lamp
--------------	-----------

## Technical Info

<b>Bulb Type</b>	LED OMNI
<b>Lumens</b>	850
<b>Cable Length</b>	50
<b>Cable</b>	14/3
<b>Cable Type</b>	SOW
<b>Max Amps</b>	.08
<b>Max Volts</b>	120
<b>Max Watts</b>	10
<b>Primary Cable End</b>	NEMA 5-15 (UGP-15231) Hazardous Location Plug
<b>NEMA Environment</b>	Class I, Division 1 & 2, Groups C,D,F &G
<b>Finish</b>	High Impact High insulation properties and heavy duty aluminum guard
<b>Construction</b>	2600-LED Explosion Proof Handlamp, High Impact High insulation properties and heavy duty aluminum guard

## Standards & Certifications

<b>ETL</b>	ETL Listed to ANSI/UL 153 & UL844
<b>cETL</b>	cETL Listed to CSA-C22.2 No. 250.4

## Shipping & Logistics Info

<b>Pack/Unit Qty</b>	1
<b>HTS code</b>	8544429090
<b>ECCN</b>	EAR99
<b>Gross Weight (lbs)</b>	15.45000
<b>Shipment Packaging Length (in)</b>	24
<b>Warranty</b>	1 Year

## Accessories



**PART#: 2601**



**PART#: 2607**

## Other Options



**PART#: 2625-LED-XP**



Ericson Manufacturing Company  
4323 Hamann Parkway  
Willoughby, OH 44094, USA



1-800-374-2766  
info@ericson.com

ericson.com