

# 320RAA4W

IEC 309 PIN & SLEEVE ANGLED RECEPTACLE, 20A 125V 1PH  
2P/3W, WATERTIGHT (IP67)



## Key features



EXPRESS BUILD



### Ideal Application

Watertight (IP67) devices are designed for use in the most demanding environments that require safety, ease of use reliability and durability. These devices can withstand impact and vibration and provide complete protection against dirt, dust, water jets and even temporary flooding

### Color

Yellow & Gray

### UPC Code

782862931493

### Country of Origin

USA

## Specifications

<b>Brand</b>	Ericson
<b>Sub Brand / Trademark</b>	IEC 309
<b>Category</b>	Wiring Devices
<b>Sub Category</b>	IEC - Watertight

## Technical Info

<b>Device Type</b>	Receptacle
<b>Blade Style</b>	4 = Female Ground Clock Position
<b>NEMA Configuration</b>	IEC 309 Pin & Sleeve
<b>Amps</b>	20
<b>Voltage</b>	125
<b>Phase</b>	1
<b>Poles / Wires</b>	2P/3W
<b>WD_CSConfig_c</b>	Angled
<b>Environmental Rating</b>	Watertight (IP67), IP67

## Standards & Certifications

<b>UL</b>	Listed to UL1682
<b>cUL</b>	Certified to CSA-C22.2 No. 182.1

## Shipping & Logistics Info

<b>HTS code</b>	8536694020
<b>ECCN</b>	EAR99
<b>Gross Weight (lbs)</b>	0.00000
<b>Shipment Packaging Length (in)</b>	4
<b>Warranty</b>	1 Year



Ericson Manufacturing Company  
4323 Hamann Parkway  
Willoughby, OH 44094, USA



1-800-374-2766  
[info@ericson.com](mailto:info@ericson.com)

[ericson.com](http://ericson.com)