

420R9W

IEC 309 PIN & SLEEVE STRAIGHT RECEPTACLE, 20A 250V
3PH 3P/4W, WATERTIGHT (IP67)



Key features



Ideal Application

Watertight (IP67) devices are designed for use in the most demanding environments that require safety, ease of use reliability and durability. These devices can withstand impact and vibration and provide complete protection against dirt, dust, water jets and even temporary flooding

Color

Blue & Gray

UPC Code

782862932599

Country of Origin

USA

Specifications

| | |
|------------------------------|------------------|
| Brand | Ericson |
| Sub Brand / Trademark | IEC 309 |
| Category | Wiring Devices |
| Sub Category | IEC - Watertight |

Technical Info

| | |
|-----------------------------|----------------------------------|
| Device Type | Receptacle |
| Blade Style | 9 = Female Ground Clock Position |
| NEMA Configuration | IEC 309 Pin & Sleeve |
| Amps | 20 |
| Voltage | 250 |
| Phase | 3 |
| Poles / Wires | 3P/4W |
| WD_CSConfig_c | Straight |
| Environmental Rating | Watertight (IP67), IP67 |

Standards & Certifications

| | |
|------------|----------------------------------|
| UL | Listed to UL1682 |
| cUL | Certified to CSA-C22.2 No. 182.1 |

Shipping & Logistics Info

| | |
|---------------------------------------|------------|
| HTS code | 8536694020 |
| ECCN | EAR99 |
| Gross Weight (lbs) | 0.00000 |
| Shipment Packaging Length (in) | 3.5 |
| Warranty | 1 Year |



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com