



IEC 309 PIN & SLEEVE ANGLED RECEPTACLE, 20A 120/208V 3PH 4P/5W, WATERTIGHT (IP67)



### **Key features**



| Ideal Application | Watertight (IP67) devices are designed for use in the most demanding environments that require safety, ease of use reliability and durability. These devices can withstand impact and vibration and provide complete protection against dirt, dust, water jets and even temporary flooding |
|-------------------|--|
| Color             | Blue & Gray  |
| UPC Code          | 782862933619   |
| Country of Origin | USA  |

## **Specifications**

| Brand                 | Ericson          |
|-----------------------|------------------|
| Sub Brand / Trademark | IEC 309          |
| Category              | Wiring Devices   |
| Sub Category          | IEC - Watertight |

#### **Technical Info**

| Device Type          | Receptacle                       |
|----------------------|----------------------------------|
| Blade Style          | 9 = Female Ground Clock Position |
| NEMA Configuration   | IEC 309 Pin & Sleeve             |
| Amps                 | 20                               |
| Voltage              | 120/208                          |
| Phase                | 3                                |
| Poles / Wires        | 4P/5W                            |
| WD_CSConfig_c        | Angled                           |
| Environmental Rating | Watertight (IP67), IP67          |

#### **Standards & Certifications**

| UL  | Listed to UL1682                 |
|-----|----------------------------------|
| cUL | Certified to CSA-C22.2 No. 182.1 |

# **Shipping & Logistics Info**

| HTS code                       | 8536694020 |
|--------------------------------|------------|
| ECCN                           | EAR99      |
| Gross Weight (lbs)             | 0.00000    |
| Shipment Packaging Length (in) | 4          |
| Warranty                       | 1 Year     |



Ericson Manufacturing Company 4323 Hamann Parkway Willoughby, OH 44094, USA



1-800-374-2766 info@ericson.com