

# 530R2S

IEC 309 PIN & SLEEVE STRAIGHT RECEPTACLE, 30A 50-600V  
400HZ 3PH 4P/5W, SPLASH PROOF (IP44)



## Key features



EXPRESS BUILD



### Ideal Application

Splash-proof (IP44) devices are suitable and recommended for use in a variety of light industrial environments and provide complete protection against contact with live parts, damaging deposits of dirt and dust and splashing water. Splashproof devices provide many of the heavy duty construction features found in the watertight products, but at a more economical cost

**Color**

Green & Gray

**UPC Code**

782862933855

**Country of Origin**

USA

## Specifications

<b>Brand</b>	Ericson
<b>Sub Brand / Trademark</b>	IEC 309
<b>Category</b>	Wiring Devices
<b>Sub Category</b>	IEC - Splash Proof

## Technical Info

<b>Device Type</b>	Receptacle
<b>Blade Style</b>	2 = Female Ground Clock Position
<b>NEMA Configuration</b>	IEC 309 Pin & Sleeve
<b>Amps</b>	30
<b>Voltage</b>	50-600V 400Hz
<b>Phase</b>	3
<b>Poles / Wires</b>	4P/5W
<b>WD_CSConfig_c</b>	Straight
<b>Environmental Rating</b>	Splash proof (IP44), IP44

## Standards & Certifications

<b>UL</b>	Listed to UL1682
<b>cUL</b>	Certified to CSA-C22.2 No. 182.1

## Shipping & Logistics Info

<b>HTS code</b>	8536694020
<b>ECCN</b>	EAR99
<b>Gross Weight (lbs)</b>	0.00000
<b>Shipment Packaging Length (in)</b>	4.5
<b>Warranty</b>	1 Year



**Ericson Manufacturing Company**  
4323 Hamann Parkway  
Willoughby, OH 44094, USA



1-800-374-2766  
[info@ericson.com](mailto:info@ericson.com)

[ericson.com](http://ericson.com)