

HL06-16350Y-1-D

HANDLAMP 120V 6 INCH 5.5W TUBE WITH 50 FT AWG 16/3
YELLOW SOOW CORD WITH WATERTIGHT NEMA 5-15 PLUG
DIRECTIONAL



Key features



Standard Features:

- High impact, shatter-proof tube with replaceable frosted tube shield
- Beam angle available in 200° and 360°
- Wired with 15A, 125V, watertight plug
- Driver range of 100-277 volts at 50/60 Hz
- Environmental rating: Suitable for outdoor use in wet locations

Optional Features:

- Replaceable clear tube shield protector
- Handle switch available on HL06 and HL11 models - Add HS
- Other NEMA plug, configurations available
- Custom cable color and printing available
- Can be included with cable reel applications
- Contact Ericson for custom configurations

Ideal Application

A hand held or hanging task light that is required for Maintenance ops, confined space entry, Aerospace, Ship building, Petrochem, Powergen, Mining, Emergency Response and Military applications.

Color

Black

UPC Code

782862927939

Country of Origin

USA

Specifications

Brand	Ericson
Sub Brand / Trademark	HL
Category	Industrial Grade
Sub Category	Hand Lamp

Technical Info

Bulb Type	LED
Lumens	1000
Cable Length	50
Cable	16/3
Cable Type	SOW
Max Amps	0.05
Max Volts	120
Max Watts	6
Primary Cable End	NEMA 5-15 (1510-PW6P) Water Tight Plug
NEMA Environment	Outdoor Use, Wet Location
Finish	Non-conductive molded handle with shatter resistant polycarb LED tube.
Construction	Industrial grade, LED handlamp designed for rugged environments

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	9405408440
ECCN	EAR99
Gross Weight (lbs)	6.40000
Shipment Packaging Length (in)	14
Warranty	1 Year



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com