

WL11-16350Y-1-D

WORKLAMP 120V 1 FT 12W TUBE WITH 50 FT AWG 16/3
YELLOW SOOW CORD WITH WATERTIGHT NEMA 5-15 PLUG
DIRECTIONAL



EXPRESS BUILD

Key features

- High impact, shatter-proof tube with replaceable frosted tube shield
- Beam angle available in 200° and 360°
- Bi-directional version offers glare protection to prevent eye strain
- Wired with 15A, 125V, water-tight plug & feed-thru water-tight connector
- Driver range of 100-277 volts at 50/60 Hz
- Environmental rating: Suitable for outdoor use in wet locations



Ideal Application

Overhead Task Lighting required for Maintenance ops, confined space entry, Aerospace, Ship building, Petrochem, Powergen, Mining, Emergency Response and Military applications.

Color

Yellow

UPC Code

782862927694

Country of Origin

USA

Specifications

Brand	Ericson
Sub Brand / Trademark	WL
Category	Industrial Grade
Sub Category	Work Lamp

Technical Info

Bulb Type	LED
Lumens	1800
Cable Length	50
Cable	16/3
Cable Type	SOW
Max Amps	13
Max Volts	120
Max Watts	1560
Primary Cable End	NEMA 5-15 (1510-PW6P) Water Tight Plug
Secondary Cable End	NEMA 5-15 (1610-CW6P) Water Tight Connector
NEMA Environment	Outdoor Use, Wet Location
Finish	Non-conductive molded endcaps with shatter resistant polycarb LED tube.
Construction	Industrial grade, LED overhead worklamp designed for rugged environments

Shipping & Logistics Info

Pack/Unit Qty	1
HTS code	9405408440
ECCN	EAR99
Gross Weight (lbs)	6.90000
Shipment Packaging Length (in)	20
Warranty	1 Year



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com

ericson.com