# LED DISK SERIES

## ESL-DSK-6-13W-52750



Project: Date:

Catalog #:

Notes:

### Key Features & Benefits:

- Field Selectable Kelvin
  2700K–3000K–3500K–4000K–5000K
- Slim, No Driver Design
- Flicker Free
- Compatible with Single Gang, 3/0, & 4/0 J-Boxes
- Triac Dimmable (120V)
- Time Saving Four Port Connectors Included
- Indoor Surface Mount for Ceiling or Wall
- Closet Rated
  – Designed and Certified to Comply with NEC Code 410.16(A)(3) and NEC Code 410.16(C)(5) for Installation in Closet Storage Space
- 0.25” Foam Ring
  – 3x Thicker Than Competitors Products
  – Reduces Light Loss and Avoids Halo Glow
  – Prevents Insects and Contaminants

### Product Specifications:

Wattage: 13W
Selectable Kelvin:
2700K–3000K–3500K–4000K–5000K
Lumen Output: Up to 1,100
Efficacy (lm/W): Up to 85 Lumens per Watt
Input Voltage: 120 VAC
Input Current: 0.13 Amps
CRI: 90+
Operational Lifetime: 50,000 hrs
Dimensions (Ø x H): Ø7.32” x 0.95”
Product Weight: 6.63 oz

5 YEAR WARRANTY · ENERGY STAR · 2016 TITLE 24 PART 6 HIGH EFFICACY LED LIGHT SOURCE JA8 · ETL SANITATION LISTED intertek · CLOSET-RATED —CERTIFIED— · TRIAC-DIMMABLE 120 VAC · WET LOCATION · +90 CRI · 5CCT SELECTABLE KELVIN

### Ordering Guide:

| ESL | - | TYPE | - | SIZE | - | WATTS | - | GENERATION | KELVIN |
|---|---|---|---|---|---|---|---|---|---|
| ESL | - | DSK | - | 6 | - | 13W | - | 5 | 2750 |
| | | (DSK) Disk Light | | (6) 6 Inch | | (13W) 13 Watts | | (5) 5th Generation | (2750) 2700K–3000K–3500K–4000K–5000K* *Default setting is 3000K |

† Not All Part Numbers DLC Qualified. For a Complete Listing Please Consult the DLC Qualified Products List (QPL).

Copyright © 2026 ESL Vision, LLC. All rights reserved. Rev: 01/22/26

# LED DISK SERIES

## ESL-DSK-6-13W-52750



### Catalog Data:

| ITEM# | WATTS | SELECTABLE KELVIN | MAX LUMEN OUTPUT | EFFICACY (lm/W) | DIMENSIONS |
|---|---|---|---|---|---|
| ESL-DSK-6-13W-52750 | 13W | 2700K | 950 | 73 | Ø7.32" x H 0.95" |
| | | 3000K | 1050 | 81 | |
| | | 3500K | 950 | 73 | |
| | | 4000K | 1000 | 77 | |
| | | 5000K | 1100 | 85 | |

### Electrical Data:

| SYSTEM WATTS | INPUT VOLTAGE | INPUT FREQUENCY | CRI | POWER FACTOR | OPERATING TEMPERATURE | DIMMING |
|---|---|---|---|---|---|---|
| 13 | 120 VAC | 50/60 Hz | 90+ | >0.9 | -4°F to 104°F (-20°C to 40°C) | Triac Dimming 10–100% |

### What's Included:




| PART | DESCRIPTION | QUANTITY |
|---|---|---|
| A | 6 Inch Disk Light | 1 |
| B | 0.25" Foam Ring | 1 |
| C | Mounting Screws | 4 |
| D | 4 Port Connectors | 3 |

### Compatible Dimmers:

| COMPATIBLE DIMMERS | |
|---|---|
| MACL-153MR-WH LUTRON | CL-6674 LEVITON |
| SCL-153P LUTRON | CL-6683 LEVITON |
| G-600PH-LA LUTRON | IPL06 LEVITON |
| DVCL-153P LUTRON | CL-6672 LEVITON |
| MACL-153ME LUTRON | 153M-ES LEVITON |
| DV-600P LUTRON | |




† Not All Part Numbers DLC Qualified. For a Complete Listing Please Consult the DLC Qualified Products List (QPL).

Copyright © 2026 ESL Vision, LLC. All rights reserved. Rev: 01/22/26

## Dimensions:

6" Disk







† Not All Part Numbers DLC Qualified. For a Complete Listing Please Consult the DLC Qualified Products List (QPL).

Copyright © 2026 ESL Vision, LLC. All rights reserved. Rev: 01/22/26