

### Key Features & Benefits:

- Housing:
  - Strip fixture dimensions (24" x 4.25" x 2")
  - Die-formed and embossed code 22 gauge steel
  - Finish is high reflectance baked white enamel
- Gear Trey:
  - Flat heavy gauge die-formed code grade steel for all components
  - Easy Access for quick installation
- 3/4" Knockouts on Both Ends

Project: \_\_\_\_\_

Date: \_\_\_\_\_

Catalog #: \_\_\_\_\_

Notes: \_\_\_\_\_



### Electrical Data:

#### Light Specifications:

Lumen Output: Up to 2,360 Lumens  
 Efficacy (lm/W): Up to 118 Lumens per Watt  
 Kelvin: 3500K, 4000K, 5000K  
 Color Rendering Index (CRI): >82  
 Rated Life: >50,000 Hours

#### Driver Data:

Input Voltage: 120-277 VAC  
 Input Power: 20W  
 Input Current @ 120V: 0.25 Amps  
 Input Current @ 240V: 0.125 Amps  
 Input Current @ 277V: 0.108 Amps  
 Total Harmonic Distortion (THD): <10%  
 Power Factor: >0.99  
 Operating Temperature: -4 ~ 122°F

### Catalog Data:

ITEM#	WATTS	LUMEN OUTPUT	EFFICACY (lm/W)	KELVIN
ESL-ID-WBS2-S-20W-F35	20W	2,320	116	3500K
ESL-ID-WBS2-S-20W-F40	20W	2,340	117	4000K
ESL-ID-WBS2-S-20W-F50	20W	2,360	118	5000K

**Ordering Guide:**



<b>ESL</b>	-	<b>ID</b>	-	<b>WBS2</b>	-	<b>S</b>	-	<b>20W</b>	-	<b>F</b>	-	
ESL		TYPE		SERIES		CLASS		WATTS		LENS		KELVIN
		ID Series		WBS2 (Wide Body)		S		20W (20 Watts)		F (Frosted)		35 (3500 Kelvin) 40 (4000 Kelvin) 50 (5000 Kelvin)
												OPTIONS

Example Part Number: ESL-ID-WBS2-S-20W-F35

**Options (Add as Suffix):**

- **Sensors:**
  - ESL-4OCC (Occupancy Sensor, On/Off, 8'-20' Mounting)
  - ESL-REM-101 (Hand Held Remote to Program ESL-4OCC)


**Dimensions:**



### WIDE BODY STRIP SERIES

2 FOOT TWO LAMP BODY	SERIES	PART NUMBER	WATTS	(lm/W)*	LUMENS*
	ID WBS2	ESL-ID-WBS2-S-20W-FXX	20	141	2,820
4 FOOT TWO LAMP BODY	SERIES	PART NUMBER	WATTS	(lm/W)*	LUMENS*
	ID WBS4	ESL-ID-WBS4-S-30W-FXX	30	141	4,230
8 FOOT TWO LAMP BODY	SERIES	PART NUMBER	WATTS	(lm/W)*	LUMENS*
	ID WBS8	ESL-ID-WBS8-S-60W-FXX	60	141	8,460

KEY: XX = 35, 40, or 50 for kelvin temperature  
\*At 5000K. See spec sheets for other kelvins



### NARROW BODY STRIP SERIES

4 FOOT SINGLE LAMP BODY	SERIES	PART NUMBER	WATTS	(lm/W)*	LUMENS*
	ID NBS4	ESL-ID-NBS4-S-15W-FXX	15	141	2,115

KEY: XX = 35, 40, or 50 for kelvin temperature  
\*At 5000K. See spec sheets for other kelvins

