

# Eaton L2330CW

Catalog Number: L2330CW

Eaton Arrow Hart watertight locking connector, #18-10 AWG, 30A, Industrial, 347/600V, Back wiring, Yellow, Steel, Watertight, L23-30, Four-pole, Five-wire, Santoprene thermoplastic elastomeric, 0.43 to 1.15 in, IP67

## General specifications

Product Name	Catalog Number
Eaton Arrow Hart watertight locking connector	L2330CW
	UPC
	040893642567
Product Length/Depth	Product Height
5.42 in	2.49 in
Product Width	Product Weight
2.49 in	1.025 lb
Compliances	Certifications
RoHS Compliant	cULus Listed



## Electrical Ratings

### Amperage Rating

30A

### Degree of protection

IP67

### NEMA configuration

L23-30

### Number Of Poles

Four-pole

### Number of wires

Grounding

5

### Torque rating

For #10-14 AWG: 14-16 lbf-inch. For #8 AWG: 20 lbf-inch

### Voltage rating

3ØY 347/600 V

## Product Specifications

### Application

Industrial

### Cord diameter

0.43-1.15 in

### Design type

Watertight locking connector

### Device grade

Extra heavy-duty industrial specification grade

### Face/body material

Nylon

### Material

Santoprene thermoplastic elastomeric

### Special features

## Environmental Specifications

### Environmental resistance

NEMA 6

IP67

NEMA 4

NEMA 6P

NEMA 4X

## Installation Specifications

### Allowable wire size

#18-10 AWG

### Wiring method

Back

## Material Specifications

### Color

Yellow

### Contact material

Nickel plated brass

## Resources

### Multimedia

[Arrow Hart Watertight Plugs, Connectors and Receptacles](#)

### Specifications and datasheets

[Eaton Specification Sheet - L2330CW](#)

[Arrow Hart watertight locking plugs, connectors and receptacles spec sheet](#)

Watertight

Type

Locking connector

---



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)