

Eaton OS306U-GY

Catalog Number: OS306U-GY

Eaton occupancy sensor switch, No neutral required, Flush, 120V, Wire leads, Maintained closure, Gray, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 450 sq ft, Occupancy, 600W 722202

General specifications

Product Name	Catalog Number
Eaton occupancy sensor switch	OS306U-GY
UPC	Product Length/Depth
032664722202	2.8 in
Product Height	Product Width
5 in	3.3 in
Product Weight	Certifications
0.001 lb	cULus Listed NOM



Product specifications

Special features

No neutral required

Phase

Single-phase

Load type

ELV

FLR

CFL

LED

HAL

INC

MLV

Closure type

Maintained

Color

Gray

Wiring method

Wire leads

Mounting method

Flush

Range

450 sq ft

Number Of Poles

Single-pole

Type

Occupancy sensor switch

Sensor type

Occupancy

Power consumption

600 W

Number of ways

Three-way

Voltage rating

120 V

Resources

Specifications and datasheets

[Eaton Specification Sheet - OS306U-GY](#)

[Eaton Passive infrared \(PIR\) motion spec sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)