Eaton OS310R-V

Catalog Number: OS310R-V

Eaton occupancy sensor dual switch, Dual switch, with nightlight, Flush, 120V, Wire leads, Maintained closure, Ivory, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 1000 sq ft, Occupancy, 1000W 710933

General specifications

Product Name	Catalog Number
Eaton occupancy sensor dual switch	OS310R-V
UPC	Product Length/Depth
032664710933	3.31 in
Product Height	Product Width
5.44 in	2.88 in
Product Weight 51.796 lb	Certifications NOM cULus Listed



Product specifications

Special features

Dual switch, with nightlight

Phase

Single-phase

Load type

- MLV INC FLR
- CFL
- LED
- HAL

ELV

Closure type

Maintained

Color

lvory

Wiring method

Wire leads

Mounting method

Flush

Range

1000 sq ft

Number Of Poles

Single-pole

Туре

Occupancy sensor dual switch

Sensor type

Occupancy

Power consumption

1000 W

Number of ways

Three-way

Voltage rating

120 V

Resources

Specifications and datasheets Eaton Specification Sheet - OS310R-V Passive infrared (PIR) motion spec sheet



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia