

# Eaton OSP10D-LA

Catalog Number: OSP10D-LA

Eaton occupancy sensor dual switch, Flush, 120/277V, Wire leads, Lt almond, Incand, MLV, ELV, Flr, halo, Elect mtr lds, 1-pole, 3-way, 1-ph, 1000 sq ft, 2-relay, 800W (Inc/hal @120V), 1200W (Flr @120V), 2200W (Flr @277V) 717550

## General specifications

Product Name	Catalog Number
Eaton occupancy sensor dual switch	OSP10D-LA
UPC	Product Length/Depth
032664717550	3 in
Product Height	Product Width
5.13 in	3.3 in
Product Weight	Certifications
50.738 lb	NOM
	cULus Listed

## Product specifications

### Special features

Dual switch

### Relay

Dual

### Phase

Single-phase

### Load type

FLR

ELV

INC

Electrical motor loads

HAL

MLV

### Closure type

Maintained

### Color

Light almond

### Wiring method

Wire leads

### Mounting method

Flush

### Range

1000 sq ft

### Number Of Poles

Single-pole

### Type

Occupancy sensor dual switch

### Sensor type

Occupancy

### Power consumption

1200 W (FLR at 120 V)

800 W (INC/HAL at 120 V)

2200 W (FLR at 277 V)

### Number of ways

Three-way

### Voltage rating

## Resources

### Brochures

[Arrow Hart commercial lighting controls brochure](#)

### Specifications and datasheets

[Eaton Specification Sheet - OSP10D-LA](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)