

Eaton OSP10M-GY

Catalog Number: OSP10M-GY

Eaton occupancy sensor switch, Decorator, Flush, 120/277V, Wire lead, Gray, Inc, MLV, ELV, Flr, halo, CFL, LED, Elec mtr lds, 1-pole, 3-way, 1-ph, 1000 sq ft, 2-rly, 800W (Inc/hal @120V), 1200W (Flr @120V), 2200W (Flr @277V) 729355

General specifications

Product Name	Catalog Number
Eaton occupancy sensor switch	OSP10M-GY
UPC	Product Length/Depth
032664729355	4.63 in
Product Height	Product Width
2.19 in	3 in
Product Weight	Certifications
30.419 lb	NOM
	cULus Listed

Product specifications

Special features

Decorator

Relay

Single

Phase

Single-phase

Load type

Electrical motor loads

ELV

INC

CFL

HAL

FLR

MLV

LED

Closure type

Maintained

Color

Gray

Wiring method

Wire leads

Mounting method

Flush

Range

1000 sq ft

Number Of Poles

Single-pole

Type

Occupancy sensor switch

Sensor type

Occupancy

Power consumption

800 W (INC/HAL at 120 V)

2200 W (FLR at 277 V)

1200 W (FLR at 120 V)

Number of ways

Three-way

Resources

Brochures

[Arrow Hart commercial lighting controls brochure](#)

Specifications and datasheets

[Eaton Specification Sheet - OSP10M-GY](#)

[Passive infrared \(PIR\) wall mount occupancy sensor spec sheet](#)

Voltage rating

120/277 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)