

# Eaton OSUL06D-C2-K-L

Catalog Number: OSUL06D-C2-K-L

Eaton occupancy sensor and dimmer, Dimmer sensor, Flush, 120V, Wire lead, White, Lt Almond, Ivory, LED, Inc, MLV, ELV, Flr, halo, Elec mtr lds, 1-pole, 3-way, 1-ph, 1000 sq ft, 600W (INC/HAL, ELV, MLV), 300W (LED, CFL, FLR) 755026

## General specifications

Product Name	Catalog Number
Eaton occupancy sensor and dimmer	OSUL06D-C2-K-L
UPC	Product Length/Depth
032664755026	2.688 in
Product Height	Product Width
6.125 in	4.125 in
Product Weight	Certifications
67.91 lb	NOM
	cULus Listed

## Product specifications

### Special features

Dimmer sensor

### Phase

Single-phase

### Load type

Electrical motor loads

MLV

LED

ELV

HAL

INC

FLR

### Closure type

Maintained

### Color

Ivory

Light almond

White

### Wiring method

Wire leads

### Mounting method

Flush

### Range

1000 sq ft

### Number Of Poles

Single-pole

### Type

Occupancy sensor and dimmer

### Sensor type

Occupancy

### Power consumption

600 W (INC/HAL, ELV, MLV)

300 W (LED, CFL, FLR)

### Number of ways

Three-way

### Voltage rating

120 V

## Resources

### Specifications and datasheets

[Motion activated dimmer sensor spec sheet](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)