

Eaton VS306U-A

Catalog Number: VS306U-A

Eaton vacancy sensor switch, No neutral connection, Flush, 120V, Wire leads, Maintained closure, Almond, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 450 sq ft, Vacancy, 600W 722103

General specifications

| | |
|-----------------------------|----------------------|
| Product Name | Catalog Number |
| Eaton vacancy sensor switch | VS306U-A |
| UPC | Product Length/Depth |
| 032664722103 | 2.8 in |
| Product Height | Product Width |
| 5 in | 3.3 in |
| Product Weight | Certifications |
| 46.2 lb | cULus Listed NOM |



Product specifications

Special features

No neutral connection

Phase

Single-phase

Load type

CFL

FLR

HAL

LED

ELV

MLV

INC

Closure type

Maintained

Color

Almond

Wiring method

Wire leads

Mounting method

Flush

Range

450 sq ft

Number Of Poles

Single-pole

Type

Vacancy sensor switch

Sensor type

Vacancy

Power consumption

600 W

Number of ways

Three-way

Voltage rating

120 V

Resources

Specifications and datasheets

Eaton Specification Sheet - VS306U-A

Eaton Passive infrared (PIR) motion spec sheet

0-10V dimmer sensor spec sheet



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)