

# Eaton VS306U-LA

Catalog Number: VS306U-LA

Eaton vacancy sensor switch, No neutral connection, Flush, 120V, Wire leads, Maintained closure, Light almond, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 450 sq ft, Vacancy, 600W 722141

## General specifications

Product Name	Catalog Number
Eaton vacancy sensor switch	VS306U-LA
UPC	Product Length/Depth
032664722141	2.8 in
Product Height	Product Width
5 in	3.3 in
Product Weight	Certifications
46.2 lb	NOM
	cULus Listed



## Product specifications

### Special features

No neutral connection

### Phase

Single-phase

### Load type

LED

ELV

MLV

CFL

HAL

FLR

INC

### Closure type

Maintained

### Color

Light almond

### Wiring method

Wire leads

### Mounting method

Flush

### Range

450 sq ft

### Number Of Poles

Single-pole

### Type

Vacancy sensor switch

### Sensor type

Vacancy

### Power consumption

600 W

### Number of ways

Three-way

### Voltage rating

120 V

## Resources

### Specifications and datasheets

[Eaton Specification Sheet - VS306U-LA](#)

[Eaton Passive infrared \(PIR\) motion spec sheet](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)