Eaton VS306U-V

Catalog Number: VS306U-V

Eaton vacancy sensor switch, No neutral connection, Flush, 120V, Wire leads, Maintained closure, Ivory, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1pole, 3-way, 1-phase, 450 sq ft, Vacancy, 600W 722158

General specifications

Product Name	Catalog Number
Eaton vacancy sensor switch	VS306U-V
UPC	Product Length/Depth
032664722158	2.8 in
Product Height	Product Width
5 in	3.3 in
Product Weight 46.2 lb	Certifications NOM cULus Listed



Product specifications

Special features

No neutral connection

Phase

Single-phase

Load type

FLR	
INC	
HAL	
MLV	
LED	
ELV	

CFL

Closure type

Maintained

Color

lvory

Wiring method

Wire leads

Mounting method

Flush

Range

450 sq ft

Number Of Poles

Single-pole

Туре

Vacancy sensor switch

Sensor type

Vacancy

Power consumption

600 W

Number of ways

Three-way

Voltage rating

120 V

Resources

Specifications and datasheets

Eaton Specification Sheet - VS306U-V

Eaton Passive infrared (PIR) motion spec sheet



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia