

Eaton VS310R-A

Catalog Number: VS310R-A

Eaton vacancy sensor dual switch, Dual switch, with nightlight, Flush, 120V, Wire leads, Maintained closure, Almond, Incand, MLV, ELV, Flrsnt, CFL, LED, halo, 1-pole, 3-way, 1-phase, 1000 sq ft, Vacancy, 1000W 710537

General specifications

Product Name	Catalog Number
Eaton vacancy sensor dual switch	VS310R-A
UPC	Product Length/Depth
032664710537	3.31 in
Product Height	Product Width
5.39 in	2.84 in
Product Weight	Certifications
50.571 lb	NOM
	cULus Listed



Product specifications

Special features

Dual switch, with nightlight

Phase

Single-phase

Load type

CFL

FLR

INC

ELV

MLV

HAL

LED

Closure type

Maintained

Color

Almond

Wiring method

Wire leads

Mounting method

Flush

Range

1000 sq ft

Number Of Poles

Single-pole

Type

Vacancy sensor dual switch

Sensor type

Vacancy

Power consumption

1000 W

Number of ways

Three-way

Voltage rating

120 V

Resources

Specifications and datasheets

[Eaton Specification Sheet - VS310R-A](#)

[Passive infrared \(PIR\) motion spec sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)