

Project Name:	Type:
Part Number:	Date:




GREENCREATIVE

PREMIUM FILAMENT DECO. FAMILY

FEATURES

- Suitable to replace 40W and 60W incandescent
- Vintage look fits most decorative applications
- 320° omnidirectional beam angle
- Smooth dimming with most forward and reverse phase controls*
- Comfortable warm diffused light
- Full glass construction
- Suitable for use in wet locations, not suitable for use in totally enclosed fixtures
- Fixture operating temperature: -13°F to 95°F (-25°C to 35°C)
- Lamp ambient temperature: -13°F to 113°F (-25°C to 45°C)
- Rated Lifetime (L70): 15,000hrs
- 3 year limited warranty**



060523



SPECIFICATIONS


Product	Model	Equiv.	CCT	Finish	Wattage (W)	Lumens (LM)	Efficacy (LPW)	Power Factor	Input Voltage	CRI	Beam Angle	Dim.*	UL Location	Fixture Rating	ES / T20
36061	3.3FB11DIM/927/R	40W	2700K	Clear	3.3	300	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36062	3.3FB11DIM/927/E26/R	40W	2700K	Clear	3.3	300	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36063	3.3FB11DIM/927/FR/R	40W	2700K	Frosted	3.3	300	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36064	5.5FB11DIM/927/R	60W	2700K	Clear	5.5	500	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36065	5.5FB11DIM/927/E26/R	60W	2700K	Clear	5.5	500	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36066	3.5FBA11DIM/820/FT/A/R	40W	2000K	Amber	3.5	240	69	0.7	120V	82	320°	Yes	Wet	Non-Enclosed	N.A. / N.A.
36745	3.3FB11DIM/824/FR	40W	2400K	Frosted	3.3	300	91	0.7	120V	82	320°	Yes	Wet	Non-Enclosed	N.A. / N.A.
36670	3.3FB11DIM/824/FR/E26	40W	2400K	Frosted	3.3	300	91	0.7	120V	82	320°	Yes	Wet	Non-Enclosed	N.A. / N.A.
35085	3.8FB11DIM/824/FR	40W	2400K	Frosted	3.8	300	79	0.7	120V	82	300°	Yes	Wet	Non-Enclosed	N.A. / N.A.
35086	3.8FB11DIM/824/FR/E26	40W	2400K	Frosted	3.8	300	79	0.7	120V	82	300°	Yes	Wet	Non-Enclosed	N.A. / N.A.
36067	3.8FG16.5DIM/927/R	40W	2700K	Clear	3.8	350	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36068	3.8FG16.5DIM/927/E26/R	40W	2700K	Clear	3.8	350	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36069	4FG16.5DIM/820/A/R	40W	2000K	Amber	4	250	63	0.7	120V	82	320°	Yes	Wet	Non-Enclosed	N.A. / N.A.
36070	3.8FG25DIM/927/R	40W	2700K	Clear	3.8	350	92	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36071	4FG25DIM/820/A/R	40W	2000K	Amber	4	250	63	0.7	120V	82	320°	Yes	Wet	Non-Enclosed	N.A. / N.A.
36072	4.5FG25DIM/827/SB/R	40W	2700K	Silver Bowl	4.5	400	89	0.7	120V	82	320°	Yes	Wet	Non-Enclosed	N.A. / N.A.
36073	5.5FG40DIM/927/R	60W	2700K	Clear	5.5	500	91	0.7	120V	92	320°	Yes	Wet	Non-Enclosed	√ / √
36074	4FST19DIM/820/A/R	40W	2000K	Amber	4	300	75	0.7	120V	82	320°	Yes	Wet	Non-Enclosed	N.A. / N.A.

* This lamp might not be compatible with all dimmers. Please visit www.greencreative.com for compatibility information.

** Please visit www.greencreative.com for Limited Warranty terms.

PREMIUM FILAMENT DECO. FAMILY

DIMENSION & WEIGHT



Product	Model	Base	MOL	Dia.	Weight
36061	3.3FB11DIM/927/R	E12	3-13/16"	1-3/8"	0.03lb
36062	3.3FB11DIM/927/E26/R	E26	3-9/16"	1-3/8"	0.04lb
36063	3.3FB11DIM/927/FR/R	E12	3-13/16"	1-3/8"	0.03lb
36064	5.5FB11DIM/927/R	E12	3-13/16"	1-3/8"	0.03lb
36065	5.5FB11DIM/927/E26/R	E26	3-9/16"	1-3/8"	0.04lb
36066	3.5FBA11DIM/820/FT/A/R	E12	4-3/8"	1-3/8"	0.03lb
36745	3.3FB11DIM/824/FR	E12	3-13/16"	1-3/8"	0.03lb
36670	3.3FB11DIM/824/FR/E26	E26	3-9/16"	1-3/8"	0.04lb
35085	3.8FB11DIM/824/FR	E12	3-13/16"	1-3/8"	0.03lb
35086	3.8FB11DIM/824/FR/E26	E26	3-9/16"	1-3/8"	0.04lb
36067	3.8FG16.5DIM/927/R	E12	3-3/16"	1-15/16"	0.04lb
36068	3.8FG16.5DIM/927/E26/R	E26	3-1/4"	2-1/16"	0.04lb
36069	4FG16.5DIM/820/A/R	E12	3-3/16"	1-15/16"	0.04lb
36070	3.8FG25DIM/927/R	E26	4-5/16"	3-1/8"	0.09lb
36071	4FG25DIM/820/A/R	E26	4-5/16"	3-1/8"	0.09lb
36072	4.5FG25DIM/827/SB/R	E26	4-5/16"	3-1/8"	0.09lb
36073	5.5FG40DIM/927/R	E26	6-7/8"	4-15/16"	0.22lb
36074	4FST19DIM/820/A/R	E26	5-3/8"	2-1/2"	0.1lb

ORDERING INFORMATION

Model	Product Series	Master Carton			Shipping Carton		
		Case Qty	Case Dimensions (LxWxH)	Case Weight	Case Qty	Case Dimensions (LxWxH)	Case Weight
36061	3.3FB11DIM/927/R	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
36062	3.3FB11DIM/927/E26/R	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
36063	3.3FB11DIM/927/FR/R	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
36064	5.5FB11DIM/927/R	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
36065	5.5FB11DIM/927/E26/R	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
36066	3.5FBA11DIM/820/FT/A/R	6 PCS	4-15/16" x 3-5/16" x 5-1/8"	0.59lb	24 PCS	6-7/8" x 7-11/16" x 5-7/8"	2.65lb
36745	3.3FB11DIM/824/FR	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
36670	3.3FB11DIM/824/FR/E26	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
35085	3.8FB11DIM/824/FR	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
35086	3.8FB11DIM/824/FR/E26	6 PCS	4-15/16" x 3-5/16" x 4-3/4"	0.53lb	24 PCS	10-5/8" x 7-1/2" x 5-5/16"	2.34lb
36067	3.8FG16.5DIM/927/R	12 PCS	6-7/8" x 4-3/4" x 8-7/16"	1.32lb	48 PCS	14-3/8" x 10-1/16" x 9-1/16"	5.69lb
36068	3.8FG16.5DIM/927/E26/R	12 PCS	6-7/8" x 4-3/4" x 8-7/16"	1.32lb	48 PCS	14-3/8" x 10-1/16" x 9-1/16"	5.69lb
36069	4FG16.5DIM/820/A/R	12 PCS	6-7/8" x 4-3/4" x 8-7/16"	1.32lb	48 PCS	14-3/8" x 10-1/16" x 9-1/16"	5.69lb
36070	3.8FG25DIM/927/R	6 PCS	10-7/16" x 7-1/16" x 5-11/16"	1.29lb	24 PCS	21-5/8" x 14-15/16" x 6-11/16"	5.62lb
36071	4FG25DIM/820/A/R	6 PCS	10-7/16" x 7-1/16" x 5-11/16"	1.29lb	24 PCS	21-5/8" x 14-15/16" x 6-11/16"	5.62lb
36072	4.5FG25DIM/827/SB/R	6 PCS	10-5/8" x 7-1/4" x 5-5/16"	1.29lb	24 PCS	21-13/16" x 14-7/8" x 6-1/8"	5.62lb
36073	5.5FG40DIM/927/R	6 PCS	15-15/16" x 10-13/16" x 7-7/8"	2.31lb	12 PCS	16-9/16" x 11-1/4" x 16-9/16"	9.70lb
36074	4FST19DIM/820/A/R	6PCS	8-3/4" x 5-15/16" x 6-1/2"	1.08lb	24PCS	18-1/8" x 12-5/8" x 7-1/2"	5.29lb



PREMIUM FILAMENT DECO. FAMILY

CERTIFICATION INFORMATION

Product	Model	ES ID#
36061	3.3FB11DIM/927/R	2329592
36062	3.3FB11DIM/927/E26/R	2331414
36063	3.3FB11DIM/927/FR/R	2378377
36064	5.5FB11DIM/927/R	2378396
36065	5.5FB11DIM/927/E26/R	2378395
36067	3.8FG16.5DIM/927/R	2378394
36068	3.8FG16.5DIM/927/E26/R	2378387
36070	3.8FG25DIM/927/R	2331415
36073	5.5FG40DIM/927/R	2381717

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.