


# 8215HA

120V-277V Universal Voltage

Catalog #:		Type
Project:		Date
Prepared by:		

## 4" LED IC Airtight Shallow Frame-In



### DESCRIPTION

This 8215HA Series is an ideal solution for efficiency, safety, and flexible design aesthetics. This new construction housing is for use in shallow ceilings where 2" x 6" joist constructions is used and can be in direct contact with ceiling insulation. Balances efficiency and cost to bring you the options needed to complete a variety of residential or commercial projects with a reliable and modern LED down light solution.

### DESIGN FEATURES

#### Electrical

- 120V - 60 Hz
- LED Trims - Maximum 15W
- Thermally protected against improper lamping

#### Housing

- Sturdy steel construction
- Suitable for use in new construction applications
- 5-1/2" overall height allows use in 2" x 6" joist construction
- J-box is listed for through-branch circuit wiring (4in – 4out), with seven 1/2" knockouts and four non-metallic cable knockouts with strain clamps
- 3-port quick connectors pre-installed in all J-boxes
- Heavy gauge captive bar hangers included for ceiling joist or suspended "T" construction
- Bar hangers are adjustable to 24" with 4 captive nails included
- Adjusts to fit up to 1" ceiling thickness

#### Emergency (-EM) Option

RP Lighting 4782EM emergency battery factory installed

- Emergency Battery Output = 9W
- Emergency Lumen Output = 9W x Fixture L/W

#### Available Trims

- LED Trims: 8722, 8723, 8739, 8753-30, 8756-80, 8756-90, 8761, 8763, 8764, 8765, 8766, 8767, 8768, 8769, 8770, 8771, 8773

#### Dimensions

- Size: H 5 1/2" x L 13 1/4" will expand to 25"
- Opening: 4-5/16"

#### Certifications

- cETLus listed for damp location (wet trims available)
- IC Rated for direct contact with batt type fiberglass insulation
- Housing & Other Components: 1 Year Limited Warranty
- LED Lamps: 5 Year Limited Warranty

### ORDERING GUIDE

Example: 8215HA

Model #	EM Option
8215HA	
8215HA (order trims separately)	-EM : adds EM Battery Backup

IC  
RATED



TEL: 800.937.6925 | Fax: 800.207.9509 | [www.rplighting.com](http://www.rplighting.com)

Specifications and dimensions subject to change without notice.

6/13/22 R3



RP LIGHTING • FANS

# 8215HA

120V-60Hz

## LED Trim Ordering Information

### ORDERING GUIDE

Example: 8722WH-90-4K

Model #	Finish	CRI	CCT
	8722	WH	-90
	8722	WH : White	-90 : 90 CRI
4" Baffle with Lens 10W   650 lms			-4K : 4000K

Limited quantities; check with factory


### ORDERING GUIDE

Example: 8723WH-90-3K

Model #	Finish	CRI	CCT
	8723	WH	-90
	8723	WH : White	-90 : 90 CRI
4" Baffle with Lens 9W   572 lms			-3K : 3000K

### ORDERING GUIDE


Example: 8763WH-90-3K

Model #	Finish	CRI	CCT
	8763		-90
	8763	BK : Black BN : Brushed Nickel CL : Clear OB : Oil Rubbed Bronze WH : White	-90 : 90 CRI
4" Reflector 10W   600 lms			-3K : 3000K -4K : 4000K

\* BK finish only available in -4K

### ORDERING GUIDE


Example: 8769WH-80-3K

Model #	Finish	CRI	CCT
	8769		-80
	8769	WH : White BK : Black* OB : Oil Rubbed Bronze* BA : Brushed Aluminum	-80 : 80 CRI (889 lms) -90 : 90 CRI (710 lms)
4" Baffle with Lens 10W			-3K : 3000K

\* - Only available in -80 CRI

### ORDERING GUIDE


Example: 8770CL-90-3K

Model #	Finish	CRI	CCT
	8770	CL	-80
	8770	CL : Clear	-80 : 80 CRI* -90 : 90 CRI
4" Clear Reflector 10W   710 lms			-3K : 3000K

\* Limited quantities; check with factory

### ORDERING GUIDE

Example: 8766BA

Model #	Finish
	8766
	8766
4" Baffle 10W   900 lms 3000K   90 CRI	

Limited quantities; check with factory

TEL: 800.937.6925 | Fax: 800.207.9509 | [www.rplighting.com](http://www.rplighting.com)

Specifications and dimensions subject to change without notice.

6/13/22 R3


# 8215HA

120V-60Hz

## LED Trim Ordering Information

### ORDERING GUIDE

Example: 8761BN-90-3K

Model #	Finish	CRI	CCT
	8761	-90	-3K
	<b>8761</b> 4" Square Baffle 9W   630 lms <b>BN</b> : Brushed Nickel <b>OB</b> : Oil Rubbed Bronze	-90 : 90 CRI	-3K : 3000K

Limited quantities; check with factory


### ORDERING GUIDE

Example: 8773WH-90-3K

Model #	Finish	CRI	CCT
	8773	-90	
	<b>8773</b> 4" Square Baffle 11W   700 lms <b>BN</b> : Brushed Nickel <b>OB</b> : Oil Rubbed Bronze <b>WH</b> : White	-90 : 90 CRI	-3K : 3000K -4K : 4000K

### ORDERING GUIDE


Example: 8765BN

Model #	Finish
	8765
	<b>8765</b> 4" Eyeball 8W   600 lms 3000K   90 CRI <b>BN</b> : Brushed Nickel <b>OB</b> : Oil Rubbed Bronze <b>WH</b> : White

Limited quantities; check with factory

### ORDERING GUIDE


Example: 8768WH

Model #	Finish
	8768
	<b>8768</b> 4" Eyeball 10W   900 lms 3000K   90 CRI <b>BN</b> : Brushed Nickel <b>OB</b> : Oil Rubbed Bronze <b>WH</b> : White

Limited quantities; check with factory

### ORDERING GUIDE


Example: 8753-30-BN

Model #	Finish
	8753-30-
	<b>8753-30-</b> 4" Gimbal 9W   520 lms 3000K   80 CRI <b>BN</b> : Brushed Nickel <b>OB</b> : Oil Rubbed Bronze

Limited quantities; check with factory

### ORDERING GUIDE

Example: 8764BN

Model #	Finish
	8764
	<b>8764</b> 4" Gimbal 8W   600 lms 3000K   90 CRI <b>BN</b> : Brushed Nickel <b>OB</b> : Oil Rubbed Bronze

Limited quantities; check with factory

TEL: 800.937.6925 | Fax: 800.207.9509 | [www.rplighting.com](http://www.rplighting.com)

Specifications and dimensions subject to change without notice.

# 8215HA

120V-60Hz

## LED Trim Ordering Information

### ORDERING GUIDE

Example: 8771WH-90-4K

Model #	Finish	CRI	CCT
	8771	-90	
	8771 4" Gimbal 10W   717 lms <b>BN</b> : Brushed Nickel * <b>OB</b> : Oil Rubbed Bronze * <b>WH</b> : White **	-90 : 90 CRI	-3K : 3000K -4K : 4000K


Limited quantities; check with factory

\* only available in -3K

\*\* only available in -4K

### ORDERING GUIDE

Example: 8767OB

Model #	Finish
	8767
	8767 4" Gimbal 10W   900 lms 3000K   90 CRI <b>OB</b> : Oil Rubbed Bronze

Limited quantities; check with factory

### ORDERING GUIDE

Example: 8756WH-90-3K-R

Model #	Finish	CRI	CCT	Retrofit
	8739	-90		-R
	8739 4" Low Profile Disk 12W   722 lms <b>BK</b> : Black <b>BN</b> : Brushed Nickel <b>WH</b> : White	-90 : 90 CRI	-3K : 3000K	-R

### ORDERING GUIDE

Example: 8756WH-90-3K

Model #	Finish	CRI	CCT	Retrofit
	8756	-90	-3K	-R
	8756 4" Low Profile Disk 12W   710 lms <b>WH</b> : White <b>BK</b> : Black <b>OB</b> : Oil Rubbed Bronze <b>BN</b> : Brushed Nickel	-90 : 90 CRI	-3K : 3000K	-R