

Project Name

Location Prepared By



SATCO S11992

14T8/LED/48-830/BP/USA

Notes

www] 10-18-2021 02:24:3

NSF Approved

General	
Status	Active
Watts	14W
Fluorescent Equivalent	30W
Volts	120V-277V
Ballast Type	Туре В
Shape	T8
Base	Medium Bi Pin
ANSI Base	G13
Nominal Length	48.00
Finish	Frost
CCT (Kelvin)	3000
Temperature	Warm White
CRI	82
Lumens	1700L
Beam Spread	210
Dimmable	Non-Dimmable
Hours Rated	50000
Lamp Type	Linear
Technology	LED
Electrical	
	Dallant Dunana
Ballasting Requirements	Ballast Bypass
Operating Frequency Power Factor	0.9
1 OWELL ACTOL	-20C (-4F) to a maximum of +45C
Operating Temperature	(+113F)
Physical	
,	
MOL	47.78
MOL MOD	1.00
MOL MOD Material	1.00 Glass; Plastic
MOL MOD Material Lens Finish	1.00 Glass; Plastic Frost
MOL MOD Material Lens Finish Lens Material	1.00 Glass; Plastic Frost Glass
MOL MOD Material Lens Finish Lens Material Housing Color	1.00 Glass; Plastic Frost Glass White
MOL MOD Material Lens Finish Lens Material	1.00 Glass; Plastic Frost Glass
MOL MOD Material Lens Finish Lens Material Housing Color	1.00 Glass; Plastic Frost Glass White
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.)	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with \$8000 and \$8002
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information	1.00 Glass; Plastic Frost Glass White 0.44
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with S8000 and S8002 LED EM Driver
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with S8000 and S8002 LED EM Driver
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty Compliance Safety Listing	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with S8000 and S8002 LED EM Driver
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty Compliance Safety Listing Location Rating	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with \$8000 and \$8002 LED EM Driver 5 Year Limited - T8 LED Bulbs cULus Classified; cRUus Damp
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty Compliance Safety Listing Location Rating Energy Star	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with S8000 and S8002 LED EM Driver 5 Year Limited - T8 LED Bulbs cULus Classified; cRUus Damp No
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with S8000 and S8002 LED EM Driver 5 Year Limited - T8 LED Bulbs cULus Classified; cRUus Damp No Yes
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved DLC ID	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with \$8000 and \$8002 LED EM Driver 5 Year Limited - T8 LED Bulbs cULus Classified; cRUus Damp No Yes PLFJY8MPT5PV
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved DLC ID California Status	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with S8000 and S8002 LED EM Driver 5 Year Limited - T8 LED Bulbs cULus Classified; cRUus Damp No Yes PLFJY8MPT5PV Lawful for sale in California
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved DLC ID	1.00 Glass; Plastic Frost Glass White 0.44 Compatible with \$8000 and \$8002 LED EM Driver 5 Year Limited - T8 LED Bulbs cULus Classified; cRUus Damp No Yes PLFJY8MPT5PV

Yes

For More Information Visit: http://www.satco.com/







