

RENAISSANCE™ LED PAR Family



Key Features & Benefits

- High lumen packages and center beam candle power (CBCP) for color critical applications
- Lens facing contains full optics
- Full family – 91 CRI
- Design life: 40,000 hours (L₇₀)*
- Dimmable**
- CCT: 2700K, 3000K and 3500K
- Beam angles: 15°, 25°, 40°
- No warm up time, instant on with full light output and stable color
- Indoor/outdoor – damp rated
- 5 Year Warranty

*ENERGY STAR® Rated life: 25,000 hours (L₇₀)
 **Performance may vary depending on dimmer used in application.

The RENAISSANCE line offers a full family of high CBCP PAR lamps with superior beam quality, ideal for color critical applications. The high R9 (R9 up to 74) feature enhances warm color palettes and makes whites more crisp, making them ideal for hospitality, healthcare and retail applications. With multiple beam angles (15°, 25° and 40°) available light is placed exactly where it's needed, with spill light surrounding for general illumination.

Product Offering

Ordering Abbreviation	Wattage	Beam Angle	Color Temperature
PAR20	8	25, 40	2700K, 3000K, 3500K
PAR30	12.5	25, 40	2700K, 3000K, 3500K
PAR30LN	12.5	25, 40	2700K, 3000K, 3500K
PAR38	13, 16.5	15, 25, 40	2700K, 3000K, 3500K

Application Information

Applications

- General lighting
- Recessed downlights
- Track lighting
- Wall washer

Market Segments


- Art galleries
- Hospitality
- Museums
- Offices
- Residential
- Restaurants
- Retail

Application Notes

1. Operating temperature -4°F to 104°F (-20°C to 40°C)
2. Not for use with emergency light fixtures or exit lights
3. Suitable for use in UL rated fixture where protected from the weather
4. For lamp warranty information please visit: www.sylvania.com/warranty

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. For FCC Part 15 user information, please see www.sylvania.com/fcc15b

Specifications and Certifications



Specification Data

Catalog #	Type
Project	
Comments	
Prepared by	

Ordering Information


Item Number	Ordering Abbreviation	Wattage (W)	Lumens (lm)	Beam	CBCP	LPW	CCT	Input Voltage	Dimmable	CRI	R9	Power Factor	Replaces	ENERGY STAR®
PAR20														
78363	LED8PAR20/HD/DIM/927/NFL25	8	500	25°	1300	63	2700K	120V	Yes	91	72	0.99	50W Halogen	Yes
78366	LED8PAR20/HD/DIM/927/FL40	8	500	40°	1100	63	2700K	120V	Yes	91	72	0.99	50W Halogen	Yes
78364	LED8PAR20/HD/DIM/930/NFL25	8	550	25°	1400	69	3000K	120V	Yes	91	55	0.99	50W Halogen	Yes
78367	LED8PAR20/HD/DIM/930/FL40	8	550	40°	1200	69	3000K	120V	Yes	91	59	0.99	50W Halogen	Yes
78365	LED8PAR20/HD/DIM/935/NFL25	8	600	25°	1400	75	3500K	120V	Yes	91	74	0.99	50W Halogen	Yes
78368	LED8PAR20/HD/DIM/935/FL40	8	600	40°	1200	75	3500K	120V	Yes	91	60	0.99	50W Halogen	Yes
PAR30														
79570	LED12.5PAR30/HD/DIM/927/NFL25	12.5	900	25°	4500	72	2700K	120V	Yes	91	54	0.99	75W Halogen	Yes
79573	LED12.5PAR30/HD/DIM/927/FL40	12.5	900	40°	1800	72	2700K	120V	Yes	91	53	0.99	75W Halogen	Yes
79571	LED12.5PAR30/HD/DIM/930/NFL25	12.5	1000	25°	4650	80	3000K	120V	Yes	91	56	0.99	75W Halogen	Yes
79574	LED12.5PAR30/HD/DIM/930/FL40	12.5	1000	40°	1900	80	3000K	120V	Yes	91	57	0.99	75W Halogen	Yes
79572	LED12.5PAR30/HD/DIM/935/NFL25	12.5	1050	25°	4650	84	3500K	120V	Yes	91	73	0.99	75W Halogen	Yes
79575	LED12.5PAR30/HD/DIM/935/FL40	12.5	1050	40°	1900	84	3500K	120V	Yes	91	72	0.99	75W Halogen	Yes
PAR30LN														
79564	LED12.5PAR30LN/HD/DIM/927/NFL25	12.5	900	25°	4500	72	2700K	120V	Yes	91	56	0.99	75W Halogen	Yes
79567	LED12.5PAR30LN/HD/DIM/927/FL40	12.5	900	40°	1800	72	2700K	120V	Yes	91	53	0.99	75W Halogen	Yes
79565	LED12.5PAR30LN/HD/DIM/930/NFL25	12.5	1000	25°	4650	80	3000K	120V	Yes	91	57	0.99	75W Halogen	Yes
79568	LED12.5PAR30LN/HD/DIM/930/FL40	12.5	1000	40°	1900	80	3000K	120V	Yes	91	57	0.99	75W Halogen	Yes
79566	LED12.5PAR30LN/HD/DIM/935/NFL25	12.5	1050	25°	4650	84	3500K	120V	Yes	91	71	0.99	75W Halogen	Yes
79569	LED12.5PAR30LN/HD/DIM/935/FL40	12.5	1050	40°	1900	84	3500K	120V	Yes	91	73	0.99	75W Halogen	Yes
PAR38														
78351	LED13PAR38/HD/DIM/930/WSP15	13	1000	15°	13,500	77	3000K	120V	Yes	91	57	0.99	90W Halogen	Yes
78362	LED13PAR38/HD/DIM/930/NFL25	13	1000	25°	4000	77	3000K	120V	Yes	91	57	0.99	90W Halogen	Yes
78361	LED13PAR38/HD/DIM/930/FL40	13	1000	40°	1800	77	3000K	120V	Yes	91	57	0.99	90W Halogen	Yes
78352	LED16.5PAR38/HD/DIM/927/WSP15	16.5	1250	15°	12,500	76	2700K	120V	Yes	91	55	0.99	120W Halogen	Yes
78355	LED16.5PAR38/HD/DIM/930/WSP15	16.5	1350	15°	13,000	82	3000K	120V	Yes	91	60	0.99	120W Halogen	Yes
78358	LED16.5PAR38/HD/DIM/935/WSP15	16.5	1350	15°	13,000	82	3500K	120V	Yes	91	56	0.99	120W Halogen	Yes
78353	LED16.5PAR38/HD/DIM/927/NFL25	16.5	1250	25°	5600	76	2700K	120V	Yes	91	56	0.99	120W Halogen	Yes
78356	LED16.5PAR38/HD/DIM/930/NFL25	16.5	1350	25°	5800	82	3000K	120V	Yes	91	58	0.99	120W Halogen	Yes
78359	LED16.5PAR38/HD/DIM/935/NFL25	16.5	1350	25°	5800	82	3500K	120V	Yes	91	60	0.99	120W Halogen	Yes
78354	LED16.5PAR38/HD/DIM/927/FL40	16.5	1250	40°	2300	76	2700K	120V	Yes	91	56	0.99	120W Halogen	Yes
78357	LED16.5PAR38/HD/DIM/930/FL40	16.5	1350	40°	2350	82	3000K	120V	Yes	91	58	0.99	120W Halogen	Yes
78360	LED16.5PAR38/HD/DIM/935/FL40	16.5	1350	40°	2350	82	3500K	120V	Yes	91	60	0.99	120W Halogen	Yes

Ordering Guide


LED	16.5	PAR38	/	HD	/	DIM	/	9	27	/	NFL25
LED Lamps and Retrofits	Wattage	Shape		High Definition		Dimmable		CRI = 91	Color Temperature		Beam Angle

Lamp Dimensions


	(A) MOL inches (mm)	(B) Diameter inches (mm)
PAR20	3.5 (88)	2.5 (64)
PAR30LN	4.5 (114)	3.7 (95)
PAR30SN	3.6 (92)	3.7 (95)
PAR38	5.1 (132)	4.7 (120.5)




PAR20



PAR30LN



PAR30SN



PAR38

LEDVANCE LLC
 200 Ballardvale Street
 Wilmington, MA 01887 USA
 Phone 1-800-LIGHTBULB (1-800-544-4828)
www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.
 All other trademarks are those of their respective owners.
 Licensee of product trademark SYLVANIA in general lighting.
 Specifications subject to change without notice.

[/sylvania](https://twitter.com/sylvania) [/sylvania](https://facebook.com/sylvania)

