

Combining ultra-bright emergency wayfinding lights and exit door signage, the LED Low Profile Combo Emergency Exit Sign improves safety without compromising space. Made of durable thermoplastic, this sleek emergency light exit sign is available in red or green and can be mounted from ceilings or walls. A powerful battery backup system keeps the exit sign illuminated for at least 90 minutes after power is lost.

## Reasons to choose the LED Low Profile Combo Emergency Exit Sign from TCP

- Long-lasting, ultra-bright white LED lamp heads and red
  Battery backup features 3.6V long life, rechargeable or green LED lettering
- Unique bi-color LED indicator light alerts on battery condition (Green = normal, Red = check battery)
- EZ-snap mounting canopy included-allows top or end mount
- NiCd battery
- Easily accessible test switch and charge rate indicator
- UL listed for damp locations
- Transfer switch automatically connects to internal battery for minimum 90-minute emergency illumination

## **Ideal Applications**

- Retail
- Industrial

- Schools
- Hospitals







# LED Low Profile Combo Emergency Exit Sign

## **Specifications**

Input Frequency	Dual 120/277V
Wattage	0.5W per lamp head
Battery	
Min Start Temp	
Max Oper Temp	
ListingsUL Lis	ted for Damp Locations, Meets CEC under Title 20 Regulations,
UL924, N	IFPA 101 Life Safety Code NEC,OSHA, Local and State codes
Warranty	l-year warranty



#### <u>Electrical</u>

- Dual 120/277 voltage
- Unique bi-color LED indicator light alerts on battery condition (Green = normal, Red = check battery)
- 3.6V long life, maintenance-free, rechargeable NiCd battery
- Internal, solid-state transfer switch automatically connects to internal battery to LED board for minimum 90-minute emergency illumination
- Fully automatic, solid-state, two rate charger initiates battery charging to recharge a discharged battery in 24 hours

#### **Construction**

- White injection-molded, engineering grade thermoplastic housing
- 5VA flame retardant and high-impact resistant
- EZ snap-out chevron directional indicators

#### **Optics**


- Adjustable, long lasting, efficient, ultra-bright white LED lamp heads and red or green lettering
- One 0.5W LED per lamp head

#### Installation

- EZ-snap mounting canopy included for top or end mount
- Universal knockout pattern on backplate for wall mount

#### LED Low Profile Combo Emergency Exit Sign

ltem #	Description	Light Color	Housing Color
LED20786	LED Low Profile Combo Emergency Exit Sign w/Red Lettering	Red	White
LED20787	LED Low Profile Combo Emergency Exit Sign w/Green Lettering	Green	White










# LED Low Profile Combo Emergency Exit Sign

#### Dimensions



#### Listing

UL Listed for Damp Locations, Meets CEC under Title 20 Regulations, UL924, NFPA 101 Life Safety Code, NEC, OSHA, Local and State Codes

#### Warranty

One year warranty for unit, battery prorated for one year

Specifications and dimensions subject to change without notice. **TCP**<sup>®</sup>







# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:	Catalog Number:
Date:	Туре:
Model:	Notes:
Project:	TCD
Rep:	we know light."

For more information on the quality and care TCP can deliver, call us at 800.324.1496 or visit tcpi.com