



LED Wet Location S14 Non-Dimmable



Perfect for applications with hard to reach areas, vibration, and frequent starts.

Reasons to choose the LED Wet Location S14 from TCP

- Long Life: 25,000 hours—no more bulb replacements
- Non-dimmable
- UL approved for wet locations
- Excellent white color consistency from bulb to bulb
- Light output equivalent to 40W

Ideal Applications

- Chandeliers
- Ceiling Fans
- Decorative
- Indoor Fixtures
- Outdoor Fixtures
- Scoreboards
- Movie Signs

Specifications

Voltage 120 VAC
 Input Line Frequency..... 50/60Hz
 Lamp Life (Rated) 25,000 hours
 Minimum Starting Temp -30°C

Maximum Operating Temp.....40°C
 CRI..... ≥80
 UL/cUL Listed Yes
 Power Factor ≥.9


Specifications



S14 Clear



S14 Frosted



LED5E26S1427K

ITEM #	DESCRIPTION	VOLTAGE	WATTAGE	WATTAGE EQUIVALENT	MOL (inches)	DIA (inches)	LUMENS	LPW	CCT	CRI	ENCLOSED FIXTURE
LED5E26S1427K	LED 4W WET LOCATION S14 - 2700K	120	4	40W	3.5	2	300	60	2700K	80	Y
LED5E26S1430K	LED 4W WET LOCATION S14 - 3000K	120	4	40W	3.5	2	300	60	3000K	80	Y
LED5E26S1441K	LED 4W WET LOCATION S14 - 4100K	120	4	40W	3.5	2	300	60	4100K	80	Y
LED5E26S1427KF	LED 4W WET LOCATION S14 - 2700K Frosted	120	4	40W	3.5	2	300	60	2700K	80	Y
LED5E26S1430KF	LED 4W WET LOCATION S14 - 3000K Frosted	120	4	40W	3.5	2	300	60	3000K	80	Y
LED5E26S1441KF	LED 4W WET LOCATION S14 - 4100K Frosted	120	4	40W	3.5	2	300	60	4100K	80	Y

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcp.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516